

ISSUE No. 3

APRIL 1939

PRICE LIST

of TIMBER HARDWARE Etc.

Buy from the Merchant
Manufacturer

CLIVE
KING
CLIVE KING · KEITH KING · ATHOL I. DOIG

Head Office:
5-7 **ATHERTON RD.,**
OAKLEIGH
UM 1071 (Three Lines)

Timber Yard:
PRINCES HIGHWAY
OAKLEIGH

City Showroom:
367 **FLINDERS ST.,**
CITY
M 5806 (Two Lines)

ALL PRICES SUBJECT TO ALTERATION WITHOUT NOTICE.

To save any delay in despatch please enclose with your order, cheque, postal note or money order.

TO OPEN AN ACCOUNT.—First transaction cash, accompanied by trade references.

When ordering timber please state shortest lengths suitable for your job. This avoids waste. Lengths ordered will be supplied if in stock, otherwise nearest longer will be sent and charged for.

Sizes stated for dressed timbers are before machining.

DELIVERIES

We have established a reputation as **PROMPT DELIVERY SPECIALISTS.** Avail yourself of this time and money saving service by placing your order with

CLIVE KING
CLIVE KING · KEITH KING · ATHOL I. DOIG

Our responsibility for safe delivery ceases on receiving signature from Carrier or Railways.

ORDER DEPT.
DELIVERY DEPT.
QUOTATIONS
ACCOUNTS

} **UM 1071**
(3 LINES)

MELBOURNE SHOWROOM
M 5806 (2 Lines)

AFTER HOURS

Mr. Clive King	U 3839	Mr. Keith King Chelt. 70
Mr. Athol I. Doig	UM 1632	Mr. H. L. Brear (Traveller) . . . U 8168

All Prices Quoted Are Nett.

E. & O. E.

CLIVE KING, Oakleigh & Melbourne

Floorings, Linings, Weatherboards in Hardwood (Per 100 feet lineal)

FLOORING—	Kiln Dried		Air Dried	
	Selected	Mer.	Selected	Mer.
3½ x 13-16	17/6	13/6	16/6	12/6
4½ x 7	20/6	18/6	19/6	17/6
5½ x 13-16		21/		20/
LINING, T. G. & V. JOINTED—				
3½ x 7-16	14/	12/	13/	11/6
4½ x 7-16	16/	14/	15/	13/
5½ x 7-16	18/	16/	17/	15/
5½ x 3 (Rebated)		14/6		14/
WEATHERBOARDS				
	21/	19/	20/	18/

Special—Flooring Hardwood

Suitable for Small Homes, Sheds, Barns, etc. Perfectly Sound, Kiln Dried and Reconditioned.

4½ x 7 .. 12/- 5½ x 13/16 .. 15/-.

The above line is one of our Best Sellers.

Special—H.W. Weatherboards

2 ex., 6 x 1 Hardwood, 6/6. Dressed, 8/6 100 feet lineal.
Suitable for Sheds, Barns, Small Homes.

Floorings

IN SOFTWOOD	(Per 100 feet lineal)				
	6x1½	6x7	6x3¼	4x1½	4x7
Baltic (White)	40/	29/	26/	25/	20/
Baltic (Red)	43/	31/6	28/	27/6	22/6
Hoop Pine, 1sts		26/6			
Hoop Pine, Merch.		24/			
Rimu, Select.		22/6			
Rimu, Merch.		17/8			

Weatherboards

IN SOFTWOOD
(Per 100 feet lineal)

	White	Red
Baltic (Square Edge)	20/	22/
Baltic (Round Edge)	20/6	22/6

Linings

IN SOFTWOOD
(Per 100 feet lineal)

	6 x $\frac{5}{8}$	6 x $\frac{1}{2}$	6 x $\frac{3}{4}$	4 x $\frac{1}{2}$	3 $\frac{1}{2}$ x $\frac{5}{8}$	3 $\frac{1}{2}$ x $\frac{1}{2}$
Baltic (White) ..	21/6	18/6	15/6	14/		
Baltic (Red)	23/6	20/	17/	15/		
Hoop Pine, 1sts		21/		16/		
Rimu, 1sts				18/		
Red Pine					22/	19/

Oregon

22/ 19/
Oregon for Dressing

Selected out of
Sawn Oregon Merchantable.

		Up to 32 ft. long	33 to 40 ft. long	41 to 48 ft. long	49 to 56 ft. long
Up to 12 in. wide	(battens excepted)	40/	42/	45/	47/
Over 12 to 14 in. wide	..	42/	44/	47/	49/
Over 14 to 16 in. wide	..	44/	46/	49/	51/
Over 16 to 18 in. wide	..	46/	48/	51/	53/
Sawn Boards—					
10 to 11 x 1	41/6	43/6	46/6	48/6
12 x 1	43/	45/	48/	50/
14 x 1	44/	46/	49/	51/
16 x 1	46/	48/	51/	53/
18 x 1	48/	50/	53/	55/

Imported Clear 20/- extra on Basis Price.

Oregon Battens

Sawn
Oregon

Selected out of
Merchantable

								Merchantable	
								Sawn	Dressed
2	x	1	7/6	8/6	10/6
3	x	1	11/3	12/6	16/9
3	x	1	11/3	12/6	17/9
4	x	1	15/	16/9	22/
4	x	1	15/	16/9	24/

CLIVE KING, Oakleigh & Melbourne

Oregon (Cont.)

Imported Clear	Sawn	Dressed
2 x 1	11/	13/
3 x $\frac{3}{4}$, out of $\frac{7}{8}$..	16/3	out of $\frac{7}{8}$ 20/6
3 x 1, out of $1\frac{1}{2}$..	18/3	out of $1\frac{1}{2}$ 22/9
4 x $\frac{3}{4}$, out of $\frac{7}{8}$..	21/9	out of $\frac{7}{8}$ 27/
4 x 1, out of $1\frac{1}{2}$..	23/3	out of $1\frac{1}{2}$ 29/9

All $1\frac{1}{4}$ in. to be charged $1\frac{1}{2}$ in.

OREGON OR HARDWOOD ANGLE STOPS

Weatherboard Stops out of $2\frac{1}{2}$ x $1\frac{1}{2}$ dressed to finish $2\frac{1}{4}$ x $1\frac{1}{4}$ —

Sawn 19/ per 100 ft. lineal

Dressed 23/ per 100 ft. lineal

Out of $1\frac{1}{2}$ x $1\frac{1}{2}$ dressed to finish $1\frac{1}{4}$ x $1\frac{1}{4}$ —

Sawn 11/6 per 100 ft. lineal

Dressed 14/6 per 100 ft. lineal

Orders under 100 feet lineal, super or super face, of any one kind extra.

Hardwood BUILDING SIZES

$1\frac{1}{4}$ in. to be charged as $1\frac{1}{2}$ in.

up to 16 feet 17-20 feet 21-25 feet

3 x $1\frac{1}{2}$, 3 x 2, 4 x $1\frac{1}{2}$, 4 x 2, 4 x 3,			
5 x $1\frac{1}{2}$, 5 x 2	23/	25/	27/
5 x 3, 5 x 4, 6 x 1, 6 x $1\frac{1}{2}$, 6 x 2	24/6	26/6	28/6
6 x 3, 6 x 4, 6 x 5, 7 x $1\frac{1}{2}$, 7 x 2			
7 x 3, 7 x 4, 8 x $1\frac{1}{2}$, 8 x 2, 8 x 3,			
8 x 4, 8 x 6, 9 x $1\frac{1}{2}$, 9 x 2, 9 x 3,			
9 x 4, 9 x 6	27/	29/	31/
4 x 1, 5 x 1, 2 x 2, 3 x 3, 4 x 4	27/	29/	31/
10 x $1\frac{1}{2}$, 10 x 2, and up to 10 x 6			
11 x $1\frac{1}{2}$, 11 x 2, and up to 11 x 6			
12 x $1\frac{1}{2}$, 12 x 2, and up to 12 x 6	27/6	29/6	31/6
5 x 5, 6 x 6	27/6	29/6	31/6

For Index See Inside Back Cover

Hardwood (Cont.)

TILTING BATTENS—2 out of 3 x 1½, 6/9; 2 out of 3 x 2, 8/3 per 100 ft. lineal.

BATTENS—1 x 1, 2/6; 1½ x 1, 3/9; 2 x 1, 5/-; 3 x 1, 6/9; 2 x 1½, 7/6; 1½ x 1½, 6/6; 2 x 2, 10/- per 100 ft. lineal.

HARDWOOD, selected for Dressing, 3/- per 100 ft. super, extra to Hardwood Schedule.

ANGLE RAIL—2 out of 4 x 4, 21/6 per 100 ft. lineal.

BEVEL RAIL—2 out of 6 x 2, 15/- per 100 ft. lineal for each angle piece.

Palings

Hardwood, per 100 count, Split, 5ft., 35/-; 6ft., 45/-; Sawn, 5ft., 32/6; 6ft., 36/-.

Jarrah: 6 x ½, 5ft., 45/-; 6ft., 56/-.

Orders under 100 feet lineal, super, superface or count, of any one kind of timber extra.

Jarrah and Red Gum—Sawn

AND JARRAH, FLOORINGS and LININGS.

FLOORINGS (Seasoned)—

3½ x 1½, T. & G., 9ft. and over
per 100 ft. run, 26/6

3½ x ¾, T. & G. Milled per 100 ft. run 22/

3½ x ¾, T. & G. Verandah Lengths, 5, 6, 7, 8 ft.
lengths 20/6

LININGS, T. G. & V.—

3½ x ½, per 100 ft. run 14/6
Special lengths, 10 per cent. extra.

BATTENS (Green)—10-17

2 x 1½ 12/ 3 x 1 12/

STRUTS, CUT, 3 x 2, up to 1 ft. 6 in. long, 5d. each.

STUMPS, 2 to 5 ft., 4 x 4, 27/- per 100 ft. super.

CLIVE KING, Oakleigh & Melbourne

Jarrah and Red Gum (cont.)

SCANTLINGS -	6-9	10-17	18-25
3 x 1½, 3 x 2, 3 x 3,			
4 x 1½, 4 x 2	35/6	39/	43/
4 x 3	39/6	43/	46/
4 x 4	40/	47/6	50/
5 x 1½, 5 x 2, 5 x 2½ ..	37/6	42/	45/6
5 x 3, 5 x 4	39/	45/	47/6
5 x 5	57/	61/	63/6
6 x 1, 6 x 1½	44/6	48/6	53/
6 x 2, 6 x 3	44/6	48/6	53/6
6 x 4	48/6	51/6	56/
6 x 6	58/6	63/	65/
		To 17ft.	18-25ft.
7 x 2, 7 x 3		54/	59/
7 x 7		62/	65/6
8 x 1½, 8 x 2, 8 x 3, 8 x 4		57/	61/
8 x 6		62/6	65/6
8 x 8		64/6	69/
9 x 1½, 9 x 2		58/6	62/
9 x 2½, 9 x 3, 9 x 4		58/6	65/6
9 x 6		62/6	70/6
9 x 9		66/	75/
10 x 2, 10 x 2½, 10 x 3		61/	67/6
10 x 10		69/6	77/
11 x 2, 11 x 2½, 11 x 3, 12 x 2			
12 x 2½, 12 x 3, 12 x 4		64/	69/6
12 x 6 to 12 x 8		73/6	79/6
12 x 9, 12 x 10		78/6	86/
12 x 12, heart in		73/6	79/6

Jarrah selected for Dressing 5/- per 100 Super Extra.

For Index See Inside Back Cover

Redwood

(Per 100 feet super).

Boards under 1 in. thick charged superface.

1 in. thick

Up to 12 in. wide inc.	and over	$\frac{1}{4}$ in.	$\frac{3}{8}$ in.	$\frac{1}{2}$ in.	$\frac{5}{8}$ in.
80/	35/	46/6	56/6	66/6	
13 in.	81/	35/6	47/	57/	67/
14 in.	82/	36/	47/6	57/6	68/
	1 in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	$\frac{5}{8}$ in.
15 in.	83/	36/	48/	58/	68/6
16 in.	84/	36/6	48/6	59/	69/6
17 in.	85/	38/	50/	60/6	71/
18 in.	86/	38/6	50/6	61/	72/
19 in.	87/	39/	51/	62/	72/6
20 in.	88/	39/	51/6	62/6	73/6
21 in.	89/	39/6	52/	63/	74/
22 in.	90/	40/	52/6	63/6	75/
23 in.	91/	40/	53/	64/	75/6
24 in. and over extra					

BATTENS

Lineal

Sawn

Dressed

2 x 1	15/	$1\frac{1}{2}$ x $\frac{1}{2}$	20/
3 x 1	20/	$2\frac{1}{2}$ x $\frac{1}{2}$	25/
4 x 1	26/6	$3\frac{1}{2}$ x $\frac{1}{2}$	31/6

Battens over 16 ft., 1/- extra.

Queensland and Vanikoro Kauri

Boards under 1 in. thick charged at super face measurement.

Prices at per foot super.

	1 in.	$1\frac{1}{2}$ in.	$1\frac{1}{2}$ to 2
$4\frac{1}{2}$ x $6\frac{1}{2}$	$9\frac{1}{2}$ d.	$9\frac{1}{2}$ d.	$9\frac{1}{2}$ d.
9 in.	$9\frac{1}{2}$ d.	$9\frac{1}{2}$ d.	10d.
12 in.	$10\frac{1}{2}$ d.	$10\frac{1}{2}$ d.	11d.
14 in.	$10\frac{3}{4}$ d.	11d.	$11\frac{1}{2}$ d.
16 in.	$11\frac{1}{2}$ d.	$11\frac{1}{2}$ d.	$11\frac{1}{2}$ d.
18 in.	$11\frac{1}{2}$ d.	$11\frac{1}{2}$ d.	1/

CLIVE KING, Oakleigh & Melbourne

Queensl'd & Vanikoro Kauri (Cont)

WIDE BOARDS--

20 in.	1/	30 in.	1/6½
22 in.	1/0¼	32 in.	1/6½
24 in.	1/0½	34 in.	1/7½
26 in.	1/5¼	36 in.	1/7½
28 in.	1/5½		

Intermediate widths to be charged next greatest width price.

Hoop Pine

Prices at per foot super.

	1in.	1¼in.	1½ to 2 in.
2 to 5 x 1	7d.	7½d.	7½d.
6 to 8 x 1	8d.	8½d.	8½d.
9 to 11 x 1	8½d.	8¾d.	9d.
12 x 1	8¾d.	9d.	9½d.
14 x 1	9d.	9½d.	9½d.
16 x 1	9½d.	9¾d.	10d.
18 x 1	10d.	10½d.	10½d.
20 x 1	10½d.	10¾d.	11d.
22 x 1	11d.	11½d.	11½d.
24 x 1	11½d.	11¾d.	12d.

SQUARES--

2 x 2	6½d.	3½ x 3½	7½d.
3 x 3	7d.	4 x 4	7½d.

FLOORING—6 x 7, 26/6 per 100 ft. lineal.

Hoop Pine and Oregon—Three Ply

5/32 Hoop Pine, 2nds, 6ft. x 3ft., 21/- 100 Sq. Ft.
Less than 6 Sheets 4/- per Sheet.

3/16 Oregon, Run of Mill, 6ft. x 3ft., 22/- 100 Sq. Ft.,
5/32 Ditto 21/6. Less than 6 sheets: 3/16 4/-, 5/32 4/-
per single sheet.

For Index See Inside Back Cover

Hoop Pine or Oregon, Three Ply

3/16	1sts	4 x 3	5 x 3	6 x 3	7 x 3	7 x 2		
23/		23/	23/	26/	26/	100	Sq. Ft.	
3/		3/7	4/4	6/	4/	per		
						Single Sheet		
4 x 4	5 x 4	6 x 4	7 x 4	8 x 3	8 x 4			
26/	26/	26/	29/	29/	30/6			
						Per 100 Square Feet.		
4/6	5/6	6/7	8/	7/	10/			
						Per Single Sheet		
						All Sheets Sanded One Side		

Fancy Plywoods

6 x 3 Sheets Per 100 Sq. Ft. Per Sheet

RED TULIP OAK:

3/16in. S.1.S.	34/6	..	7/
1/4in. "	41/6	..	8/3
5/16in. "	50/	..	10/
5/16in. S.2.S.	59/6	..	12/

ROTARY CUT WALNUT:

3/16in. S.1.S.	40/	..	8/
1/4in. "	47/6	..	9/6

SLICED CUT WALNUT AND MAPLE:

Ribbon Grain:

3/16in.	55/	..	11/
1/4in.	62/6	..	12/6
5/16in.	70/	..	14/

Medium Figure:

3/16in.	62/6	..	12/6
1/4in.	72/6	..	14/6
5/16in.	78/6	..	15/9

Full Figure:

3/16in.	75/	..	15/
1/4in.	82/6	..	16/6
5/16in.	90/	..	18/

CLIVE KING, Oakleigh & Melbourne

SLICED CUT SILKY OAK:

3/16in. Figured	70/	..	14/
1/4in. ,, 	75/	..	15/

JAP SEN:

3/16in. Unjointed	37/6	..	7/6
3/16in. Jointed	36/6	..	7/3

SILVER ASH ROTARY CUT:

3/16in.	35/	..	7/
1/4in.	42/6	..	8/6

SLICED CUT SILVER MAPLE:

3/16in.	65/	..	13/
1/4in.	72/6	..	14/6
5/16in.	80/	..	16/

COACHWOOD:

3/16in. S.I.S.	37/6	..	7/6
------------------------	------	----	-----

Trellis Laths

$1\frac{1}{2} \times \frac{3}{8}$ $2 \times \frac{3}{8}$ $2 \times \frac{1}{2}$

HARDWOOD (Sawn)	3/	3/6	5/	per 100 Lin. Ft.
" (Dressed)	4/	4/6	6/	" " "

SPECIAL— $1\frac{1}{2} \times \frac{3}{8}$ H.W. Laths in 6ft. Lengths, only
5/- per Bundle; 270ft. to Bundle.

Kiln Dried Hardwood

SELECT QUALITY

			Per 100 feet lineal	
2 x 1	3 x 1	4 x 1	5 x 1	6 x 1
9/	13/	18/6	24/	29/

Per 100 feet Super.

	Select
7 x 1, 8 x 1	55/
9 x 1, 10 x 1	60/
11 x 1, 12 x 1	67/6
Over 12in. wide—per inch extra	6/
$1\frac{1}{2} \times 1\frac{1}{2}$	52/6
2 x $1\frac{1}{2}$, 3 x $1\frac{1}{2}$	55/
$2\frac{1}{2} \times 1\frac{1}{2}$, 4 x $1\frac{1}{2}$	55/
5 to 8 x $1\frac{1}{2}$	65/

For Index See Inside Back Cover

Kiln Dried Hardwood (Cont.)

9 x 1½, 10 x 1½	65/
11 x 1½, 12 x 1½	70/
Over 12in. wide—per inch extra	6/
2 x 2, 3 x 2	55/
4 x 2	55/
5 to 8 x 2	65/
9 x 2, 10 x 2	67/6
11 x 2, 12 x 2	75/
Over 12in. wide—per inch extra	6/

Hardwood Mouldings

ARCHITRAVES—

3 x 1	16/
4 x 1	20/

COVER STRIPS—

1½ x ¾	6/
1¾ x ¾	7/6
2½ x ½	12/
3 x ½	12/6

DADO—

1½ in.	13/6
1½ in.	14/
2 in.	23/

OVOLO—

1 in.	7/6
1½ in.	12/
1½ x 1½	13/6
2 x 2	23/
3 x 2	32/6

PICTURE RAIL—

2 x 1	11/6
2½ x 1	14/
3 x 1	16/

QUARTER ROUND—

¾ in.	6/6
1 in.	7/6
1½ in.	13/6
2 in.	23/

SKIRTINGS—

6 x 1	29/6
7 x ¾	27/6
7 x 1	36/

SCOTIA—

1 in.	7/6
1½ x 1½	13/
1½ x 1½	13/6
2 x 2	23/

WINDOW NOSING—

2 x 1½	20/6
2½ x 1½	24/
3 x 1½	24/6
4 x 1½	31/6

(Sizes before machining
unless stated otherwise)

CLIVE KING, Oakleigh & Melbourne

Red Pine and Canadian Red Cedar Mouldings

(Per 100 feet lineal)

(Sizes before machining unless stated otherwise)

ARCHITRAVES—

Sanitary or UP to Over

bull nose 16ft. 16ft.

3 x 1 .. 24/ 25/

4 x 1 .. 33/ 34/

5 x 1 .. 37/6 38/6

4 x 1½ .. 37/6 38/6

5 x 1½ .. 45/ 46/

6 x 1½ .. 54/6 55/6

6 x 1½ .. 64/ 65/

HAND RAIL—

3½ x 2½ 72/

4 x 3 82/

INSERTION—

1 x ¾ 8/6

1½ x ¾ 10/6

1½ x ½ 11/

CROWN—

1 inch 9/

1½ inch 14/

2 x 1½ 23/6

3 x 1½ 33/

NECK MOULDING— ..

1½ x 1 13/

2 x 1½ 22/6

O.G.—

2 in. 15/6

2½ in. 19/6

3 in. 23/6

BEADS (Finished Sizes)

¾ in. Parting .. 8/6

¾ x ¾ in. Staff .. 8/6

1½ x ¾ Staff .. 9/6

1½ x ¾ in. Staff .. 11/

OREGON BEADED

FASCIA ex Imp. Clear

7 x ¾ 41/

8 x ¾ 45/6

9 x ¾ 50/6

COVER STRIPS or Door

Stops, square edged.

1½ x ¾ 8/6

1½ x ¾ 10/6

2 x ½ finish .. 13/6

2½ x ½ finish .. 15/6

For Index See Inside Back Cover

Red Pine Mouldings (Cont.)

DADO—

1½ in.	15/6
1½ in.	18/
2 in.	23/

QUARTER ROUND—

½ in.	6/6
¾ in.	9/6
1½ in.	14/
1½ in.	17/6
2 in.	29/
2½ in.	51/6

Fly Wire or Half Round

¾ x ¾	8/
1½ x ¾	11/6
½ in. Glass	6/6

BOLECTION

MOULDING—

2½ x 1	19/6
8 x 1	23/

CAP MOULDING—

8 x 2	41/
4 x 2	56/6
4 x 8	82/
5 x 8	108/6

CORNICE—

8 x 1	23/
4 x 1	30/
5 x 1	37/6
6 x 1	45/
3 in. S. S. B.	45/

OVOLO—

1 in.	10/
1½ in.	14/6
1½ x 1½	17/6
2 x 2	29/6
2½ x 2½	52/6
3 x 2	44/

PICTURE RAIL—

2 x 1	16/
2½ x 1	19/6
3 x 1 San.	23/

SCOTIA (PLAIN)—

¾ in.	10/
1½ in.	14/6
1½ in.	17/6
2 in.	29/

WINDOW SILLS—

In Oregon Selected	
6 x 3	94/
7 x 3	109/
8 x 3	123/6

In Red Pine—

6 x 3	122/6
7 x 3	142/6
8 x 3	162/

In Jarrah—

6 x 3	81/6
7 x 3	102/
8 x 3	117/

CLIVE KING, Oakleigh & Melbourne

Red Pine Mouldings (Cont.)

SKIRTINGS SANITARY—

6 x $\frac{3}{4}$	34/
6 x 1	45/
7 x $\frac{3}{4}$	42/
7 x 1	52/6
8 x 1	59/6
9 x 1	67/
10 x 1	74/6
11 x 1	81/
12 x 1	89/

SASH MATERIAL—

$2\frac{1}{2}$ x $1\frac{1}{2}$ Styles ..	29/
4 x $1\frac{1}{2}$ Bottom	
Rail	43/6
2 x $1\frac{1}{2}$ Meeting	
Rail	22/6
$1\frac{1}{2}$ x 1 Sash Bar	13/6

WINDOW NOSING—

2 x $1\frac{1}{2}$	22/6
$2\frac{1}{2}$ x $1\frac{1}{2}$	29/
3 x $1\frac{1}{2}$	32/6
4 x $1\frac{1}{2}$	43/
6 x $1\frac{1}{2}$	64/
7 x $1\frac{1}{2}$	74/6

Sawing Charges

	SOFTWOOD	HARDWOOD
To 4in. Deep	2/	2/6
per 100 ft. lineal of Sawing.		
ANGLE OR BEVEL SAWING		
	2/6	4/
per foot super of Sawing.		

Machining Charges

	SOFTWOOD	HARDWOOD
Up to 30ft.	31-40	up to 30ft.
	6/3	8/4
per 100 foot Superface of Dressing.		
Over 6in. extra.		Over 40fts. extra.
Minimum Charge	1/-.	

CARTAGE CHARGED ON ALL TIMBER DELIVERIES

Kiln Dried Doors. Refer to Illustrated Circular.

All Doors made from Kiln Dried Hardwood or Red Pine.

No.	RED PINE	No.	HARDWOOD
101	22/	306	30/
114	22/	500	26/6
103	22/ Unglazed	600	25/
105	22/6	700	24/6
Above Doors in Hardwood,		800	27/6
3/6 extra.		900	25/6
Bead & Butt, 32/6 each.		400	30/
Prices are for Doors in sizes 6ft. 6in. x 2ft. 6in. x 1½			
and 6ft. 8in. x 2ft. 8in. x 1½.			

Door Jambs and Stops

Made up in Oregon 6ft. 6in. x 2ft. 6in. & 6ft. 8in. x 2ft. 8in. x 1½in. finish	11/6
Made up in Kiln Dried Hardwood 6ft. 6in. x 2ft. 6in. & 6ft. 8in. x 2ft. 8in. x 1½in. finish ..	11/6
Made up in Kiln Dried Hardwood for double Doors up to 5ft. 4in. wide	12/6

Ledge Doors, Ex. 6 x ¾ Baltic

6ft. 6in. x 2ft. 6in. .. 17/6	Braced 4/6 extra
6ft. 8in. x 2ft. 8in. .. 18/6	Braced 4/6 extra

Door Frames: Wood or Brick Job

Single Door Frame, W.B. Job, 8 x 2 Step	26/
Single Door Frame, Brick job, built in with Wind Moulds and Dowels	25/
Single Door Frame, Brick job, built in with Wind Moulds and Dowels, with 12 x 3 Step	32/6
Single Door Frame, W.B. job, with Fanlight Glazed Obscure, 8 x 2 Step	42/6
Single Door Frame, with 1½in. Side Light, Glazed Obscure, 8 x 2 Step	62/6
Single Door Frame, with 12in. Double Side Light Glazed Obscure, 8 x 2 Step	92/6

Red Pine Glass Doors

Refer to our printed circular for illustrations of Door Designs.

No.		No.	
1	35/ Unglazed	25	55/
2	42/6 Unglazed	26	25/
3	52/6	27	52/6
4	35/ Unglazed	28	52/6
5	42/6	29	52/6
6	52/6	30	47/6
7	47/6	31	52/6
8	52/6	32	52/6
9	47/6	33	50/
10	50/-	34	47/6
11	35/ Unglazed	35	45/
12	47/6	36	47/6
13	35/ Unglazed	37	47/6
14	47/6	38	52/6
15	42/6	39	55/
16	45/	40	75/
17	42/6	41	30/ All Wood
18	52/6	42	25/6 „ „
19	47/6	43	50/
20	47/6	44	52/6
21	50/	45	67/6
22	52/6	46	67/6
23	42/6	47	37/6
24	52/6	48	20/ Unglazed

Kiln Dried Hardwood Glass Doors

2/6 PER DOOR EXTRA ON ABOVE

All prices are quoted for Glazed Doors unless otherwise quoted in sizes up to 6ft. 8in. x 2ft. 8in.. Double prices and sizes for pairs. Mushroom Stops 2/6 extra. Rebating 2/6 extra.

Red Pine Flywire Doors

See our Illustrated Leaflet

6ft. 6in. x 2ft. 6in.— $\frac{7}{8}$ in. THICK							
1	2	3	4	5	8	9	
12/9	14/	15/9	15/9	16/6	19/	22/6	
6ft. 8in. x 2 ft. 8in.—							
13/	14/3	16/	16/	16/9	19/3	22/9	
6ft. 10in. x 2ft. 10in.— $\frac{7}{8}$ in. THICK							
13/3	14/6	16/3	16/3	17/	19/6	23/	
7ft. x 3in.— $\frac{7}{8}$ in. THICK							
16/	18/	19/3	19/3	20/6	23/	27/6	
6ft. 6in. x 2ft. 6in.— $1\frac{1}{8}$ in. THICK							
1A	2A	3A	4A	5A	8A	9A	
14/	16/	17/6	17/6	19/	21/	25/	
6ft. 8in. x 2ft. 8in.— $1\frac{1}{8}$ in. THICK							
14/3	16/3	17/9	17/9	19/3	21/3	25/3	
6ft. 10in. x 2ft. 10in.— $1\frac{1}{8}$ in. THICK							
14/6	16/6	18/	18/	19/6	21/6	25/6	
7ft. x 3ft.— $1\frac{1}{8}$ in. THICK							
18/	19/9	21/6	21/6	23/	25/6	30/.	

Special Doors may be had in numbers one to nine at an extra charge of 1/6 per door on to price of next largest. Packing for Rail or Carrier 1/6 per Door or Bundle extra. For bronze wire add numbers 1, 2, 3, 5, 8, 9 ($\frac{7}{8}$ and $1\frac{1}{8}$) up to and including 6ft. 10in. x 2ft. 10in. plus 5/- over 6ft. 10in. x 2ft. 10in. 6/- per door. Door No. 4 up to and including 6ft. 10in. x 2ft. 10in. 3/6 and over 6ft. 10in. x 2ft. 10in. 4/-.

Oregon Flywire Doors

	A	B	C
6ft. 6in. x 2ft. 6in.	11/6	12/6	15/
6ft. 8in. x 2ft. 8in.	11/6	12/6	15/
6ft. 10in. x 2ft. 10in. . . .	11/6	12/6	15/

Oregon Flywire Doors can be had in stock sizes as above only.

Fittings extra: Catches, 1/- each; Spring Hinges, 1/- per pair; Handles, 3d. each; Catch and Snib combined, 2/6 each.

Box Frames

WOOD JOB BUILT IN H.W. IN RED PINE OUT
Sash Size Glazed 16oz., complete Weights & Cords.
Single Frame, 2, 4 or 6 Light.

4ft. x 2ft.	45/	1ft. x 2ft. 10in. . .	55/
4ft. x 2ft. 6in. . . .	49/	5ft. 4in. x 2ft. 10in.	57/6
4ft. 6in. x 2ft. . .	49/	5ft. 10in. x 2ft. 10in.	60/
4ft. 6in. x 2ft. 6in.	50/	6ft. x 3ft.	60/
4ft. 6in. x 2ft. 10in.	55/		

Twin Box Frames double above prices.

Single Bolt On, 8/6 extra. Double Bolt On, 12/6 extra.

TRIPLE BUILT IN BOX FRAMES FOR WOOD JOB.

Windmoulds for Brick Work Extra.

4ft. x 2ft. Sash Size, Centre Fixed . .	£5 15 0
4ft. x 2ft. 6in. Sash Size, Centre Fixed . .	6 18 6
4ft. x 2ft. Sash Size, Outer, Centre 3ft., Casement Sash	6 0 0
4ft. x 2ft. Sash Size, Outer, Centre 3ft., Casement Sash with Camber Bar . .	6 5 0

The above frames bolt on, 15/- extra.

SUGGESTION.—Post order and we will forward at
your request by return mail Stud and Trimmer openings.

Casement Frames

COMPLETE WITH SASHES GLAZED, 16oz., 1, 2 or 3
Light., WITHOUT FANLIGHTS.

Single

Double

3ft. x 2ft.	25/	3ft. 6in. x 2ft. . .	57/6
3ft. 6in. x 2ft. . .	30/	3ft. x 2ft. 6in. . .	60/
3ft. x 2ft. 6in. . .	31/	3ft. 6in. x 2ft. 6in.	62/6
3ft. 6in. x 2ft. 6in.	32/6	3ft. x 1ft. 6in. . .	46/
3ft. x 1ft. 6in. . .	25/	4ft. x 2ft.	62/6
4ft. x 2ft.	35/		

Triple

3ft. 6in. x 2ft. . .	75/	3ft. x 1ft. 6in. . .	67/6
3ft. x 2ft. 6in. . .	77/6	4ft. x 2ft.	80/

EXTRAS.—Bolt on Single Light 6/-; Double 8/6;
Triple 11/-.

For Index See Inside Back Cover

Casement Sashes

(Sashes Only)

Hardwood or Red Pine all glazed 16 oz. Glass.

2ft. x 2ft. x 1½	7/6
2ft. 6in. x 2ft. x 1½	9/6
3ft. x 2ft. x 1½	10/
3ft. x 2ft. 6in. x 1½	12/6
3ft. x 1ft. 6in. x 1½	9/
3ft. 6in. x 2ft. x 1½	11/6
4ft. x 2ft. x 1½	14/6
3ft. x 2ft., Glazed White Artic	12/6

Box Frame Sashes (Sash Size)

RED PINE OR HARDWOOD. GLAZED 16 OZ.

No Weights & Cords

With Weights & Cords

4ft. x 2ft.	14/	4ft. x 2ft.	16/6
4ft. x 2ft. 6in. . .	16/	4ft. x 2ft. 6in. . .	19/
4ft. 6in. x 2ft. 6in.	17/6	4ft. 6in. x 2ft. 6in.	20/
4ft. 6in. x 2ft. 10in.	19/	4ft. 6in. x 2ft. 10in.	21/6
5ft. x 2ft. 10in. . .	20/	5ft. x 2ft. 10in. . .	24/
5ft. 10in. x 2ft. 10in.	22/6	5ft. 10in. x 2ft. 10in.	26/
6ft. x 3ft.	22/6	6ft. x 3ft.	26/

Important

IN JOINERY, when possible give sash size, and in all measurements **Height first.**

All Frames are constructed of Kiln Dried Hardwood or Red Pine of Select Quality, and free from Borer.

We recommend that wherever possible a sketch with all measurements is given—this will avoid delay.

SASH SIZE MEANS:—Measurement from top of cill to under head (in height), and then the actual width of sash between mullion linings.

CLIVE KING, Oakleigh & Melbourne

Tanks

Tanks

Tanks

Made In Our Own Factory

GUARANTEED 21 GAUGE ORB

No Cover

Complete

or Tap

50 gallons	£1 11 6	£1 7 0
100	1 16 0	1 10 9
200	2 8 6	2 1 6
300	3 1 9	2 14 9
400	3 8 6	3 1 0
500	3 10 9	3 5 3
600	4 0 0	3 10 9
800	4 15 0	4 2 6
1,000	5 2 6	4 12 6
1,000	Squat	5 4 0	4 14 6
1,500	7 10 0	7 0 0
2,000	9 5 0	8 10 0
3,000	4ft. high	12 7 6	10 15 0
3,000	6ft. high	11 7 6	10 10 0
3,000	8ft. high	11 7 6	10 10 0

PRICES ARE THE SAME FOR ORDINARY AND SQUAT TANKS OTHER THAN WHERE SHOWN.

More than one Socket is 2/6 each extra.

Lysaght Special Tankmaking Iron: 1000 Gall. Tank, complete, £5/15/-; No. Tap or Cover, £5/5/-.

Loose Cover 7/6 extra up to 1,000 gallon on above complete price.

If required extra Tap $\frac{3}{4}$ in. 2/9 each, 1 in. 3/- each.

Where applicable, to avoid Sales Tax being charged, copy Declaration below, sign and forward with order:—
To the Commissioner of Taxation,

And The Commonwealth of Australia,

Sales Tax Assessment Act 1930-1936—

I hereby certify that this tank is to be used for exempt purposes, namely, farming or pastoral activities.

Signature

“Fibrolite” Asbestos Cement Sheets

Crating 3d. per sq. yd. extra. Minimum charge 7/6.

Width	Length	For Exterior Walls.	For Interior Walls and Ceilings.
		No. 5, 3/16 in.	No. 4, 5/32 in.
4ft.	3, 4, 5, 6, 7, 8, 9 & 10ft.	per sq. yd.	per sq. yd
4ft.	11ft. and 12ft. No. 5 only	Uncrated at	Uncrated at
3ft.	3, 4, 5, 6, 7, 8, 9 & 10ft.	Factory or	Factory or
3ft.	11ft. and 12ft. No. 5 only	Store	Store
2ft.	3, 4, 5, 6, 7, 8, 9 & 10ft.	2/2	1/11
18in.	3, 4, 5, 6, 7, 8, 9 & 10ft.	Equivalent	Equivalent
12in.	3, 4, 5, 6, 7, 8, 9 & 10ft.	to 24/1 per square of 100 sq. ft.	to 21/4 per square of 100 sq. ft.

“Fibrolite” Cover Moulding

For Panelling Fibrolite Flat Sheets. Supplied with Round or Square Edges.

2in x 5/16in., per 100 lineal feet	11/6
2½in. x 5/16in., per 100 lineal feet	13/6
3in. x 5/16in., per 100 lineal feet	15/6
Supplied in lengths of 6ft., 7ft., 8ft., 9ft., 10ft., 11ft. and 12ft. Additional cost of packing approx. 10%.	

“Fibrolite” Angle Moulding

For Internal or External Angles, as ordered

Used in conjunction with Fibrolite Cover Moulding.

Supplied with Round or Square Edges.

2in. x 2in. x 5/16in., per 100 lineal feet	23/
2½in. x 2½in. x 5/16in., per 100 lineal feet	27/
3in. x 3in. x 5/16in., per 100 lineal feet	31/
Supplied in lengths of 6ft., 7ft., 8ft., 9ft., 10ft., 11ft. and 12ft. Additional cost of packing approx. 10%.	

CLIVE KING, Oakleigh & Melbourne

"Fibrolite" Horizontal Moulding

Manufactured in two types. Viz:—

Art. 10: For horizontal panelling of walls covered entirely with Fibrolite Flat Sheets.

Art. 10A: For horizontal panelling of walls covered with Fibrolite Flat Sheets and weatherboards

PRICE PER 100 LINEAL FEET 17/6

Supplied in lengths of 6ft., 7ft., 8ft., 9ft., 10ft., 11ft. and 12ft. Additional cost of packing, approx. 10 per cent.

When Ordering State: Art. Number and whether Moulding is to be used with Fibrolite Sheets only or with Fibrolite Sheets and weatherboards combined.

WE CARRY FULL STOCKS OF FIBRO CEMENT SHEETS, COVER STRIPS AND ANGLE MOULDS.

"Tilux" Marble Finished Wall Panel

For Kitchen and Bathroom.

Standard Patterns

	ft.	ft. in.	ft.	ft. in.	ft.	ft.
Art. 20, Mottled-Grey						
Art. 21, St. Anne						
Art. 22, Mottled-Red						
Art. 23, Pearl Grey	3	x 4	6	x 4	4	x 4
Art. 24, Dappled-Green	8	x 3	6	x 3	4	x 3
Art. 25, Mottled-Blue	8	x 2	6	x 2	3	x 3
Art. 26, Mottled-Opal	8	x 1ft. 6in.	6	x 1ft. 6in.		
Art. 27, Dappled-Gold			x 3/16in.	thick.		
Art. 28, Old Ivory						
Art. 29, Meadow Green						

Price per sq. yard, 7/9

Tilux (Cont.)

ST. ANNE TILUX COVER MOULDING.

Standard lengths, 6ft. & 8ft. only	1½in.	2in.	3in.
Price per foot run	2½d.	3d.	3½d.

Cover Mould available in all colors in 2in. only.

“St. Anne” Tilux Skirting

Standard lengths, 6ft. and 8ft. only	6in.	8in.
Price per foot run	6d.	8d.

6in. and 8in. Skirting available in all standard colors.

Duratile

FOR KITCHEN OR BATHROOM

Duratile is supplied in stock sized sheets 3ft. and 4ft. wide by 4, 5, 6, 7 and 8ft. long (approx. 3/16in. thick); the face is mechanically prepared to represent 4in x 4in. tiling. 5/3 sq. yard.

Wallboards

CANE-ITE—

Stock Sizes: 3 and 4 ft. wide—6, 7, 8, 9, 10 and 12 ft. long.

5/16in. Thick	23/6 per 100 sq. ft.
1/2in. “	31/6 “ “ “

MASONITE—

“Standard”—Stock sizes: 4 ft. wide—8, 9, 10, and 12 ft. long.

1/8in. Thick	47/6 per 100 sq. ft.
--------------	----------------------

“Tempered”—Stock sizes: 8 ft. x 4 ft., 12 ft. x 4 ft.

1/8in. Thick	57/6 per 100 sq. ft.
--------------	----------------------

RAINTITE BITUMEN ROOFING—

1Ply	2Ply	3Ply
23/9	27/3	31/9 per Roll 72ft. x 3ft.
		with Fittings

1/3	1/6	1/9 per Yard (No Fitt'gs)
-----	-----	---------------------------

P. & B. BUILDING PAPER—

Roll of 500 sq. feet	17/6 roll
----------------------	-----------

“Sno-Wite” Fibro Plaster Wall and Ceiling Sheets

Made from purest materials ensuing that super glossy finish which is a feature of our sheets. Definitely non-inflammable and will not twist or buckle. “Snowite” is the only lining for your Modern Home.

15/9 per 100 Sq. Feet 15/9

STOCK SIZES:

5/16in. Sheeting

ft.	ft.	ft.	ft.	ft.	ft.	ft.	ft.	ft.	ft.
12 x 5	12 x 4.6	12 x 4	12 x 3.6	12 x 3					
11 x 5	11 x 4.6	11 x 4	11 x 3.6	11 x 3					
10 x 5	10 x 4.6	10 x 4	10 x 3.6	10 x 3					
9 x 5	9 x 4.6	9 x 4	9 x 3.6	9 x 3					
8 x 5	8 x 4.6	8 x 4	8 x 3.6	8 x 3					
7.6 x 5	7.6 x 4.6	7.6 x 4	7.6 x 3.6	7.6 x 3					
7 x 5	7 x 4.6	7 x 4	7 x 3.6	7 x 3					
6.6 x 5	6.6 x 4.6	6.6 x 4	6.6 x 3.6	6.6 x 3					
6 x 5	6 x 4.6	6 x 4	6 x 3.6	6 x 3					
5.6 x 5	5.6 x 4.6	5.6 x 4	5.6 x 3.6	5.6 x 3					
5 x 5	5 x 4.6	5 x 4	5 x 3.6	5 x 3					
4.6 x 5	4.6 x 4.6	4.6 x 4	4.6 x 3.6	4.6 x 3					
4 x 5	4 x 4.6	4 x 4	4 x 3.6	4 x 3					
3.6 x 5	3.6 x 4.6	3.6 x 4	3.6 x 3.6	3.6 x 3					
3 x 5	3 x 4.6	3 x 4	3 x 3.6	3 x 3					

Over 12ft. long made to order in sizes every 6in. up to 18ft. No extra charge.

Also made in widths, 6ft. and 6ft. 6ins., and in lengths up to 18ft.

Sisal, for Stopping 10½d. lb.

Crated for rail 3d. per sq. yd. extra. Minimum Charge 7/6. Snowite is also made in the above sizes in 7/16 inch., 1/10 per sq. yd. Stocks kept of Cornices, Straps and Ornamental Ceilings. Other prices on Application. 2in. Cover Mould 2d. per foot; 2in. Ovolo or Scotia 3d. per foot.

Baths—Porcelain Enamel

“Rolled Edge” —

Standard White:	5ft. & 5ft. 6in.	6ft.
1st Quality	£8 0 0	£9 2 9
2nd Quality	7 10 0	8 5 0
Stainless Acid Resisting White:		
1st Quality	9 2 6	10 8 6
2nd Quality	8 11 0	9 8 0
Standard Colours:		
1st Quality	10 0 0	11 2 6
2nd Quality	8 15 0	9 10 0
Stainless Acid Resisting Colours:		
1st Quality	11 2 6	12 8 6
2nd Quality	9 16 0	10 13 9

“Alpha Flanged,” Nos. 1, 2, 3, 4, 5—

Standard White:	5ft & 5ft. 6in.	6ft.
1st Quality	£8 15 0	£10 7 6
2nd Quality	8 2 6	9 7 6
Stainless Acid Resisting White:		
1st Quality	9 19 6	11 16 6
2nd Quality	9 5 0	10 13 6
Standard Colours:		
1st Quality	10 15 0	12 7 6
2nd Quality	9 7 6	10 12 6
Stainless Acid Resisting Colours:		
1st Quality	11 19 6	13 16 6
2nd Quality	10 10 0	11 18 6

EXTRAS:

Plug and Washer, tested (Metropolitan area) .. .	7/6
Plug Washer Cap and Lining, untested (Country) ..	8/6
Tap Holes	4/6
Crating, board top, returnable (see memo. below) ..	12/6
(Credited upon return, 10/6).	

DEDUCTION:

If bath required without feet, deduct, per bath .. 4/9

Memo: The Victorian Railways return board tops free.

Write for Illustrated Catalogue for Baths and Basins.

CLIVE KING, Oakleigh & Melbourne

The Kent Pedestal Basin

	1st Quality	2nd Quality
Standard White	£7 2 6	£6 15 0
Stainless Acid Resisting White	7 15 0	7 5 0
Standard Colours	7 10 0	7 2 6
Stainless Acid Resisting Colours	8 2 6	7 12 6
Extra:—Tested P.W.C. & L., 7/-; Untested P.W.C. & L., 6/-.		

Gloucester Pedestal Basin

	1st Quality	2nd Quality
Standard White	£7 12 6	£7 5 0
Stainless Acid Resisting White	8 5 0	7 15 0
Standard Colours	8 0 0	7 12 6
Stainless Acid Resisting Colours	8 12 6	8 2 6
Extra:—Tested P.W.C. & L., 7/-; Untested P.W.C. & L., 6/-.		

The "York" Wall Basin

	1st Qual.	2nd Qual.
Standard White	£3 15 0	£3 5 0
Stainless Acid Resisting White	4 0 0	3 12 6
Standard Colours	4 0 0	3 10 0
Stainless Acid Resisting Colours	4 5 0	3 17 6
Extra:—Tested P.W.C. & L., 7/-; Untested P.W.C. & L., 6/-.		

Brackets, 5/- pair.

BATHS & BASINS—Builders Have you ever been "humbugged" waiting for that colored bath or basin? CLIVE KING can give you from stock, baths in the following shades, with pedestal or wall basins to match in acid resisting or standard colors: WHITE, AQUA GREEN, CREAM, PRIMROSE and AMBER.

For Index See Inside Back Cover

Wall Basins, Porcelain Enamel

FLAT BACK	22 x 12	22 x 16	24 x 18
Standard White:	£ s. d.	£ s. d.	£ s. d.
1st Quality	1 5 6	1 8 6	1 9 6
2nd Quality	1 3 6	1 6 6	1 7 6
Stainless Acid Resisting White:			
1st Quality	1 9 0	1 12 6	1 13 6
2nd Quality	1 6 6	1 10 0	1 11 6
Standard Colours:			
1st Quality	1 18 0	2 1 0	2 2 0
2nd Quality	1 16 0	1 19 0	2 0 0
Stainless Acid Resisting Colours:			
1st Quality	2 1 6	2 5 0	2 6 0
2nd Quality	1 19 0	2 2 6	2 4 0

CORNER BASIN

Standard White:	20x 18	25 x 20		
1st Quality	1 7 0	1 9 0		
2nd Quality	1 4 6	1 6 6		
	22x12	22x16	24x18	20x18 25x20
Brackets 4/	6/	6/	4/6	5/
Comb Brackets—				
Painted —	8/	8/	7/6	7/6
Enamelled —	17/	17/	15/6	15/6

Earthenware Lavatory Basins

Pedestal—

22 x 16 . . . 5052	£4 17 6	24 x 20 . . . 5078	6 7 6
--------------------	---------	--------------------	-------

Corner—

20 x 18 . . . 5025	1 6 0	20 x 18 . . . 5095	1 7 6
21 x 21 . . . 5028	1 15 0	25 x 19 . . . 5026	1 17 6
20 x 18 . . . 5029	1 7 6		

Flat Back—

22 x 12½ . . . 5098	1 17 6	16 x 16 . . . 5058	1 8 6
22 x 16 . . . 5059	1 17 6	26 x 15½ . . . 5061	2 0 0

Plugs and Washers 7/6 extra.

Brackets, 4/3 pair. Frames, 7/6 extra.

CLIVE KING, Oakleigh & Melbourne

Porcelain Enamelled Combination Sink and Draining Board

No. 59 42 in. Made with Sink Left Hand or Right Hand with Skirting at back and one end.

No. 60 48 in. Made with Sink Left Hand, Right Hand or Centre and Skirting at Back or Right Hand or Left Hand. No. 61 60 in. Made same as No. 60.

	No. 59					No. 60				
	1st Qual.		2nd Qual.			1st Qual.		2nd Qual.		
Standard White	£3	17	6	£3	10	0	£4	2	6	£3 15 0
Stainless Acid Resist-										
ing White	4	9	0	4	0	6	4	15	0	4 6 6
Standard Colours	4	12	6	4	5	0	4	17	6	4 10 0
Stainless Acid Resist-										
ing Colours	5	4	0	4	15	6	5	10	0	5 1 5

No. 61	1st Qual.					2nd Qual.				
Standard White	£5	5	0	£4	17	6				
Stainless Acid Resisting White ..	6	2	6	5	14	0				
Standard Colours	6	0	0	5	12	6				
Stainless Acid Resisting Colours	6	17	6	6	9	0				
Extra:—Nickel Plated P.W.C. & L., 9/-; Brackets, 2/6 each. Without Strip 2/- less.										

Sinks

SPECIAL VALUE

Stamped Steel and Porcelain Enamelled Sinks complete with Plug. No Overflow.

15in.	18in.	21in.
21/	22/6	24/

COUNTRY CLIENTS—BUY FROM US AND BENEFIT FROM OUR EXPERIENCE IN HANDLING COUNTRY ORDERS!

For Index See Inside Back Cover

Porcelain Enamelled Sinks

Made in three styles: With Overflow and Loose Plug and Washer.

Without Overflow and with Loose Plug and Washer.

With Overflow and Fixed Plug and Washer (Country pattern).

In the following sizes (inside measurements):—

15 in. x 10½ in., 21 in. x 13 in., 15 in. x 14 in., 24 in. x 13 in., 18 in. x 12 in., 27 in. x 14 in., 18 in. x 14 in., 30 in. x 14 in. 12 in. and 14 in. widths same price.

Standard White:	15in.	18in.	21in.	P.W.C. & L.
1st Quality	26/	27/6	30/	Tested
2nd Quality	24/	25/	26/6	9/6
Stainless White:				Untested
1st Quality	29/6	31/6	34/	9/-
2nd Quality	27/6	28/6	30/	Extra

WITHOUT OVERFLOW:

Standard White:				
1st Quality	25/	26/6	29/	Tested
2nd Quality	23/	24/	25/6	9/-
Stainless White:				Untested
1st Quality	28/6	30/	33/	8/6
2nd Quality	26/	27/6	29/	Extra

COUNTRY PATTERN:

Standard White:				Includes
1st Quality	29/	30/	33/	Fixed
2nd Quality	27/	28/	30/6	P. & W.
Stainless White:				
1st Quality	33/	34/	37/6	C. & L.
2nd Quality	31/	32/	34/6	2/3 extra

Extra:—All Sinks—Colour, 10/-.

Stainless Steel Sinks and Drainers

3ft. x 16in. . . £8 2 6	3ft. x 18in. . . £8 12 6
3ft. 6in. x 16in. . . 8 10 0	3ft. 6in. x 18in. 9 0 0
4ft. x 16in. . . 8 17 6	4ft. x 18in. . . 9 7 6
4ft. 6in. x 16in. . . 9 7 6	4ft. 6in. x 18in. 9 17 6
5ft. x 16in. . . 10 5 0	5ft. x 18in. . . 10 15 0
5ft. 6in. x 16in. 10 17 6	5ft. 6in. x 18in. 11 7 6
6ft. x 16in. . . 11 10 0	6ft. x 18in. . . 12 5 0
6ft. 6in. x 16in. 12 5 0	6ft. 6in. x 18in. 13 0 0
7ft. x 16in. . . 13 0 0	7ft. x 18in. . . 13 15 0
7ft. 6in. x 16in. 13 15 0	7ft. 6in. x 18in. 14 10 0
8ft. x 16in. . . 14 10 0	8ft. x 18in. . . 15 5 0

With Standard Flashing for Tiles or Tilux.

Standard Bowl: 13in. x 13in. x 6in. or 14in. x 12in. x 6in. and 1in. Skirting.

Special Bowl—15in. x 14in. x 6in. 15/ Extra

Special Bowl: 16in. or 18in. x 14in. x 6in., 18/6 Extra

Bathroom Tiles & Fittings

	Ivory	Colors
4in. x 4in. English Tiles	14/6 yd. . .	22/6 yd.
4in. x 4in. Eng. Tiles, 1 round edge	1/3 ft. . .	—
4in. x 4in. Eng. Tiles, 2 round edges	9d. ea. . .	—
Angle Bead	1/- ft. . .	—
Parrot Beaks	8d. ea. . .	9d.
4in. x 4in. Soap Holders, S.F.38 . .	7/6 ea. . .	10/ ea.
4in. x 4in. Gargoyle, S.F.39 . . .	7/6 . . .	10/- ea.
4in. x 4in. Tumblers and Tooth		
Brush Holders, SF31	8/ . . .	12/6
4in. x 4in. Towel Rail Ends, SF32	11/6 pr. . .	15/ pr.
8in. x 4in. Toilet Holders, SF54 . .	15/- . . .	22/6
8in. x 4in. Soap Holders, SF29 . .	11/6 . . .	17/6
8in. x 4in. Soap Holders, with Grip,		
S.F.42	12/6 . . .	18/6
8in. x 4in. Vents	4/6 . . .	4/6
6in. x 6in. Shell Soap Holder . .	11/6 . . .	—
6in. x 3in. English White Tiles		13/6 yard

For Index See Inside Back Cover

Fuel Bath Heaters

	Galv. Iron Aluminium Painted	Shower Attachments; Extra
The Viaduct Copper Element	£3 10 0	14 0
Little Hero, Plain	3 10 0	14 0
Little Hero, Small Base ..	3 13 6	14 0
Little Hero, Large Base ..	4 0 0	14 0
Little Hero, Copper Internal	4 3 6	13 6
Silver Ace, Plain	2 8 9	13 9
Silver Ace, Small Base ..	3 2 6	14 0
Silver Ace, Large Base ..	3 10 0	14 0
Daynito	3 2 6	14 0
Cash, No. 1	3 2 6	17 6
Cash, No. 2	3 10 0	17 6
Carlyle, No. 1	3 0 0	17 6
Carlyle, No. 2	2 15 6	17 6
Carlyle, No. 3	2 7 6	17 6
Carlyle Champion	3 10 0	17 6
20th Century, No. 3	4 0 0	
20th Century, No. 4	3 10 0	
20th Century, No. 5	3 0 0	
Noxall	2 0 0	
Excelsior, Plain,	2 0 0	
Excelsior, Small Base	2 17 6	
Lux	3 10 6	14 0
Comet	2 10 0	12 6
Mallee Pattern	18 6	Stand 4/- extra

Cast Iron Stands, 7/6 each.

The "Viaduct" Heater—Made specially for Clive King.
Get special illustrated sheet.

CLIVE KING, Oakleigh & Melbourne

Fuel Bath Heaters (Cont.)

	Copper	Shower Attachments
	Nickel Plated	Extra
Little Hero, Plain	£5 18 0	£1 8 0
Little Hero, Small Base ..	6 18 9	1 7 9
Little Hero, Large Base ..	7 6 0	1 8 0
Daynite	5 18 0	1 8 0
Cash, No. 1	5 9 0	
Cash, No. 2	5 17 0	
Carlyle, No. 1	6 5 0	
Carlyle, No. 2	6 0 0	
Carlyle, No. 3	5 5 0	
20th Century, No. 3	9 17 6	
20th Century, No. 4	8 17 6	
20th Century, No. 5	7 17 6	
Lux	6 15 0	1 8 0

Please write for Illustrated Leaflets of all the
above Heaters.

Gas Bath Heaters

	Nickel Plated	Shower Attachments
		Extra
Instanta	£5 15 0	£1 0 0
Viceroy	6 15 0	1 0 0
Cash, No. 3	6 10 0	1 2 6
Carlyle Champion	6 5 0	1 5 0
Cleveland	6 11 0	1 0 0
Nonpariel	8 10 0	1 0 0

All the above Heaters are fitted with Safety Taps and
Nickel Plated Baffle.

Please write for illustrated leaflets on Gas Bath
Heaters.

Fireplaces

13ft. 6in. High Overall. 1ft. 10in. Deep.

24G. Galv. Iron. Our Own Make.

30in.	£2 10 0
36in.	2 10 0
42in.	2 17 6
48in.	3 2 6
Extra Lengths Flue, per 3ft. length, 7/6 extra.	

Fuel Stoves

Royalty Stoves

Royalty Stoves, 24in. Sheet Steel £3 10 0

Supplied exclusively by Clive King. Thousands in use.

“I.X.L.” Stoves

	Black Finish	Black Finish with Plate Warmer
No. 1 .. 24in.	£5 15 0	£7 0 0
No. 1G .. 27in.	7 7 0	8 16 0
No. 1A .. 30in.	8 3 6	9 16 0
No. 2 .. 36in., Double Oven	9 16 0	11 12 6
No. 2A .. 36in., Double Oven	10 17 0	12 16 6
No. 3 .. 39in., Double Oven	10 17 0	12 16 6
No. 3A .. 39in., Double Oven	12 7 0	14 7 6
No. 12 .. 24in. All Cast ..	6 0 0	7 6 0

All the above IXL Stoves are side fire.

Triumph Stoves

Triumph Stoves. Made by IXL.—Top Fire:

No. 9 .. 24in.	£5 1 6
No. 10 .. 30in.	6 9 0

The above IXL and Triumph Stoves can be had in Enamel Finishes. Write for Price List and Illustrated Folder.

CLIVE KING, Oakleigh & Melbourne

"Lux" Stoves

BLACK
FINISH

ENAMEL
FINISH

Hot Plate

SIDE FIRE STOVES

		Price	Front Only	& Front
No. 1.B. .. 25in. ..	£6 0 0	£7 1 8	£7 17 0	
No. 1.F. .. 25in. ..	6 4 4	7 9 0	8 4 4	
No. 2.B. .. 30in. ..	7 12 8	9 1 4	9 16 8	
No. 2.F. .. 30in. ..	7 17 0	9 8 8	10 4 0	
No. 2.E. .. 30in. ..	7 19 8	10 0 0	10 15 4	
No. 2.C. .. 30in. ..	8 17 4	10 19 4	11 14 8	
No. 3.B. .. 36in. ..	8 17 4	10 10 8	11 11 0	
No. 3.F. .. 36in. ..	9 2 0	10 18 4	11 18 8	
No. 3.E. .. 36in. ..	9 4 8	11 12 0	12 12 8	
No. 3.C. .. 36in. ..	10 7 4	13 7 0	14 4 8	
No. 4.B. .. 42in. ..	11 10 8	14 16 4	15 9 4	
No. 4.F. .. 42in. ..	11 15 0	15 3 8	16 6 8	
No. 4.E. .. 42in. ..	11 19 0	16 0 0	17 3 0	
No. 4.C. .. 42in. ..	13 10 8	17 16 4	18 9 0	


TOP FIRE STOVES

No. 10.B. .. 24in. ..	5 4 6	6 13 0	7 9 9	
No. 10.F. .. 24in. ..	5 11 9	7 5 0	8 1 9	
No. 10.E. .. 24in. ..	5 10 3	7 9 0	8 6 0	
No. 10.C. .. 24in. ..	6 6 9	8 7 6	9 4 9	
No. 11.B. .. 24in. ..	4 4 6	5 11 9	6 3 8	
No. 11.F. .. 24in. ..	4 9 3	5 18 0	6 9 6	
No. 11.E. .. 24in. ..	4 16 3	6 7 9	6 19 6	
No. 11.C. .. 24in. ..	5 7 0	7 5 9	7 18 3	
No. 12.B. .. 30in. ..	6 16 0	8 6 8	9 2 0	
No. 12.F. .. 30in. ..	7 0 4	8 14 0	9 9 4	
No. 12.E. .. 30in. ..	7 3 0	9 9 4	10 0 3	
No. 12.C. .. 30in. ..	8 0 8	10 4 8	11 0 0	
No. 15.B. .. 24in. ..	5 4 6	6 11 6	7 3 0	
No. 15.F. .. 24in. ..	5 8 9	6 17 9	7 9 6	
No. 15.E. .. 24in. ..	5 10 3	7 7 9	7 19 3	
No. 15.C. .. 24in. ..	6 6 9	8 5 6	8 18 3	

Write for Illustrated Catalog on Lux Stoves.

*The Cost of
Materials
According to
Our
Specifications
for the
Accompanying
Homes
are as
Follows:*

DESIGN
Nº 1



DESIGN
Nº 3



DESIGN
Nº 5



No. 1, £75

No. 3, £120

Material




No. 5, £180

Write For Full Details of the


BUDGET - HOMES




DESIGN
No 2



DESIGN
No 4



DESIGN
No 6



Only

No. 2, £120

No. 4, £175

No. 6, £220

Particular Design You Desire !

For Index See Inside Back Cover

Fuel Stoves (Cont.)

PLANET—		Black Finish	Enamel Front	Enamel Front & Top
---------	--	-----------------	-----------------	--------------------------

Sheet Steel Sides.

No. 1, Top Fire 20in.	£3 10 0	£4 10 6	£5 6 0
No. 2, Top Fire 24in.	4 0 0	5 4 6	6 2 6

All Cast.

No. 3, Top Fire 24in.	4 14 6	5 18 0	6 16 6
No. 4, Side Fire 24in.	5 10 6	6 14 0	8 15 0

All Cast.

No. 5, Top Fire 30in.	6 11 0	8 2 6	9 9 0
-----------------------	--------	-------	-------

Sheet Steel Sides.

No. 5, Top Fire 30in.	5 15 6	7 7 0	8 14 0
-----------------------	--------	-------	--------

Legs to All Cast Stoves 7/6 extra.

METTERS ACE,— All Cast:	Black Finish	Enamel Front	Enamel Front & Top
24in.	£4 14 6	£5 17 6	£6 5 0
30in.	6 10 0	8 2 6	8 10 0

Legs: Black 7/6; Enamel 10/- extra.

ECLIPSE STOVES—B

24in. Top Fire, Sheet Steel Model	£4 0 0
24in. Top Fire, Cast Iron	4 14 6
30in. Top Fire, Sheet Steel Model	5 15 6
30in. Top Fire, Cast Iron	6 6 0

ALL HARDWARE DISPLAYED AT CITY AND OAKLEIGH SHOWROOMS.

CLIVE KING, Oakleigh & Melbourne

Upright Gas Stoves

METTERS PANEL PACKED

THE MELBOURNE, STATE & SUBURBAN GAS STOVES

	Melbourne	State	Suburban
Partly Enamelled	£10 12 6	£9 0 0	£8 15 0
Partly Enamelled with			
Enamelled Oven	11 17 6	10 5 0	10 0 0
Fully Enamelled	12 10 0	10 17 6	10 12 6
Extras: Plate Rack	1 6 0	1 5 0	1 5 0
Floor Plate	15 0	12 6	12 6

THE NEW STATE, NEW SUBURBAN & NEW MELBOURNE GAS STOVES.

Fully Packed.

	Melbourne	State	Suburban
Partly Enamelled	£11 12 6	£10 0 0	£9 15 0
Partly Enamelled with			
Enamelled Oven	12 17 6	11 5 0	11 0 0
Fully Enamelled	13 10 0	11 12 6	11 7 6
Extras: Plate Rack	1 6 0	1 5 0	1 5 0
Floor Plate	15 0	12 6	12 6
Metters Victory, Partly			
Enamelled		£8 10 0	

PARKINSON—(Upright)

Sunray No. 499, Fully Packed, Partly Enamel.	£8 10 0
Sunray No. 501 " " " " "	9 15 0
Sunray No. 503 " " " " "	10 0 0
Enamelled Oven	£1/5/- extra on above.

LUX—(Upright)

Fully Packed, Partly Enamelled	£9 5 0
Fully Packed, Fully Enamelled	10 10 0

For Index See Inside Back Cover

Gas Stoves

**METTERS ELEVATED MELBOURNE, STATE, and
SUBURBAN (Panel Packed)**

	Melbourne	Suburban
Partly Enamel Finish	£12 10 0	£10 15 0
Partly Enamel, Enamel Oven	13 15 0	12 0 0
Fully Enamelled	14 7 6	12 12 6
Extra—Plate Rack	1 6 0	1 5 0
Extra—Floor Plate	1 12 6	1 7 6
STATE—	3 burner	4-burner
Partly Enamel Finish	£11 0 0	£11 15 0
Partly Enamel, enamel Oven	12 5 0	13 0 0
Fully Enamelled	12 17 6	13 12 6
Extra—Plate Rack	1 5 0	1 6 0
Extra—Floor Plate	1 8 6	1 12 6

With Short Feet as Table Model—Deduct 7/6.

Victory Table Model, with Plate Rack £10 15 0

NEW ELEVATED MELBOURNE, STATE, and

SUBURBAN GAS STOVES— (Include Plate Rack)

	Melbourne	State	Suburban
(Fully Packed)		3 burner	
Partly Enamel Finish	£15 10 0	£13 0 0	£12 15 0
Partly Enamel, with			
Enamel Oven	16 15 0	14 5 0	14 0 0
Fully Enamel	17 17 6	15 0 0	14 12 6
Extra—Floor Plate	1 12 6	1 8 6	1 7 6

With Short Feet as Table Model—Deduct 7/6.

LUX TABLE MODEL—

Fully Packed, Partly Enamelled £10 17 6

Fully Packed, Fully Enamelled 12 2 6

PARKINSON TABLE MODEL—

Sunray No. 499, Fully Packed, Partly Enamel £10 2 6

Sunray No. 501 " " " 11 2 6

Sunray No. 503 " " " 11 7 6

Extras: Plate Rack, £1/5/-; Enamelled Oven, £1/5/-.

CLIVE KING, Oakleigh & Melbourne

Gas Coppers

12 Gall. Round Top with draw off tap	£2 10 0
12 Gall. Square Back with draw off tap	3 0 0
12 Gall. Enamel Top, Black and White Body, Tinned Copper, with draw off tap	4 6 6

Copper Frames (Boilers Extra)

CAST IRON	10 Gall.	12 Gall.	14 Gall.	16 Gall.
Lux	£2 15 0	£2 15 0	£3 0 0	£3 0 0
Regal	2 7 6	2 7 6		
New Comet . .	2 10 0	2 10 0	2 19 6	2 19 6
Windsor .. .	3 10 0	3 10 0	3 15 0	4 0 0
Family	3 10 0	3 10 0	3 15 0	4 0 0
The Comet . .	2 17 6	2 19 6	3 5 0	3 9 9
The Marvel	3 11 3	3 11 3	3 11 3	
Vic	2 12 6	2 12 6	2 17 0	2 17 0
Eclipse	2 2 6	2 2 6		
Clive King ..	2 0 0	2 0 0		
Wrought Iron	1 5 9	1 5 9	1 7 6	1 9 6
Concrete Copper Frame—				
	3 5 0	3 8 6	3 13 6	3 15 0

Concrete Flue Pipe, 1/9 ft. extra.

Coppers For Above Frames

Spun Seamless (One Piece)

	Light	Medium	Heavy
10 Gall.	22/	23/6	30/6
12 Gall.	24/	27/6	35/6
14 Gall.	26/9	30/9	41/6
16 Gall.	35/6	39/6	52/
18 Gall.	41/6	44/6	61/6
20 Gall.	48/6	50/6	68/9

Seamed Light

10	12	14	16	18	20 Gall.
21/	23/	25/9	34/6	40/6	47/6

Send for Illustrated Leaflets of Fuel Frames.

For Index See Inside Back Cover

Doors and Grates

	6x8	7x9	8x10	12x10
Doors and Grates	4/3	4/9	5/3	7/6
Grates Only	1/9	2/	2/6	3/
Doors Only	2/6	3/	3/3	5/

Concrete Columns—Own Make

Design No. 1—

3ft. 6in. Samson 17/6

Design No. 2—

4ft. 2in. Round Fluted 15/

Design No. 3—

3ft. 6in. Round Fluted 8/6

4ft. " " 10/

Design No. 4—

2ft. 6in. Square Fluted 7/6

3ft. " " 7/6

3ft. 6in. " " 8/6

4ft. " " 10/

Design No. 10—

3 ft. 6 in. Round Plain 8/6

4ft. " " 10/

Cement Gully Rings 2/6 each

9 x 6 Cement Vents 7/6 doz.

Prices for Columns up to 7 ft. on application.

Crating for Rail Extra.

Prices are for goods in Grey Cement—Colored extra

Buy from actual maker.

Send for Illustrated Leaflet.

**BUY DIRECT FROM
MANUFACTURERS**

CLIVE KING, Oakleigh & Melbourne

Wash Troughs—Own Make

M.M.B.W., one compartment	£1 2 6
M.M.B.W., two compartments, with special overflow	£1 15 0
M.M.B.W., three compartments	£2 10 0
Country Pattern, one compartment	£1 0 0
Country Pattern, two compartments	£1 5 0
Country Pattern, three compartments	£2 2 6
Special Stands for Troughs	7/9 pair

Concrete Chimneys

Inside Measurements of Chimney for—

No. 1.—One-Fire Stove, 3ft. 9in. high, 2ft. approx. 10in. wide, 18in. deep ..	£4/5/0 15 cwt.
No. 3 Open Fireplace, 2ft. 9in. high, 2ft. 10in. wide, 18in. deep ..	£4/5/0 15 cwt.

Fire Brick Hobs, 25/- Set of 4 Pieces.

Prices Nett at Works. Exempt from Sales Tax.

Cartage to rail, 7/6 extra. Write for illustrated
Instruction Sheet.

Prices quoted do not include cost of foundation slabs,
which are extra.

Outside Measurements of above:—

No. 1.—4ft. 9in. high x 4ft. 4in. wide, overall 16ft. 6in.
No. 3.—3ft. 8in. high x 4ft. 3in. wide, overall 14ft. 6in.

Write for Illustrated Instruction Sheet.

EXTRAS—

Flue Sections—Single, 12in. high, 4/- each.

Foundation and Hearth Slabs—Nos. 1 and 3 (single),
5/- each.

Reinforced Concrete Imitation Brickwork Faces,
25/- each.

For Index See Inside Back Cover

Cement

Ex Store, Melbourne £4 6 0 Ton

Per Bag, Ex Store, Oakleigh 4/- Bag

Cartage to Rail, Spencer Street 6/- Ton

Cartage to Suburbs at Schedule Rates.

90 lb. per Paper Bag; 24 Bags to 1 Ton.

Lime, etc.—

Snowflake Lime 6/6 Bag

Lilydale Lime 7/6 „

Snowlim Plasterers 3/3 „

Snowlim Bricklayers 3/ „

Domus “Minor” & Clive King Fires

	Domus Type		Clive King Type	
	18in.	21in.	18in.	21in.
Fine Cast & Black	53/	63/	50/	60/
Ground & Black	53/6	63/6	50/	60/
Armour Bright	54/	64/	51/	61/
Plated Finishes	57/6	67/6	55/	65/

Above prices complete with one piece Brick, Grate and Ash Pan.

Briquette Grates

METTERS—

Black Finish £1 5 0

Ground & Stove Enamelled 1 12 0

Armour Bright 1 16 0

Copper Oxidised 2 0 0

PARKINSON—

412 Black Finish 1 4 6

414 „ „ 1 5 0

416 „ „ 1 10 0

PHOENIX—

Black Finish 1 7 6

CLIVE KING, Oakleigh & Melbourne

Mantelpieces

No.	Panelled	Square Mirror	Oval Mirror
1	£2 5 0		
2			£2 15 0
3	2 17 6	£3 5 0	3 8 6
4	3 5 0	3 15 0	3 17 6
5	3 7 6	3 17 6	4 0 0
6	3 10 6	4 0 0	4 5 0

Made with square opening 36in. x 36in. Arched opening, 6/- extra.

To Walnut or Blackwood finish, plus 3/6.

Made in AUSTRALIAN OAK ONLY.

Packing, 2/6 each extra.

(See our circular for illustrations.)

Builders' Hardware

PADBOLTS, GALV.—

4x $\frac{3}{8}$	6x $\frac{1}{2}$	8x $\frac{1}{2}$	10x $\frac{1}{2}$
7 $\frac{1}{2}$ d	1/3	1/6	1/9

JAPD. DOOR BOLTS—

3in.	4in.	6in.	8in.	10in.
6d.	9d.	1/-	1/3	1/6

O'xid. Copp. DOOR BOLTS, Round 4in. 7 $\frac{1}{2}$ d.

O'xid. Copp. DOOR BOLTS, Square .. 4in. 1/6 6in. 2/-

SASH FASTS Cast 6d. Pressed 7 $\frac{1}{2}$ d.

SASH LIFTS— Hooked 4d. pair

BELL'S DOOR 3/6 each

TEE HINGES, with Screws—per pair.

3in.	4in.	6in.	8in.	10in.	12in.	14in.	16in.	18in.
7d.	7 $\frac{1}{2}$ d.	9d.	1/-	1/3	1/6	2/-	2/9	3/-

TEE HINGES, Scotch 9d. per lb.

BUTT HINGES, with Screws—Per doz. pair.

1in.	1 $\frac{1}{4}$ in.	1 $\frac{1}{2}$ in.	2in.	2 $\frac{1}{2}$ in.	3in.	3 $\frac{1}{2}$ in.	4in.
2/3	2/6	2/9	3/	3/3	4/	5/	6/6

For Index See Inside Back Cover

Builders' Hardware (Cont.)

BUTT HINGES, with Screws—Per pair.

1in.	1½in.	1½in.	2in.	2½in.	3in.	3½in.	4in.
3d.	3d.	3d.	3½d.	4d.	4½d.	5d.	7d.

NAILS—

0-8	9	10	11	12	14	16 Gauge
23/6	24/	24/6	25/6	26/6	31/	37/6 per cwt.
3/6	3/6	3/6	3/6	3/9		per 14 lb. bag
4d.	4d.	4d.	4d.	4d.	5d.	5d. per lb.

Galv. Nails and Clouts 9d. lb.

Shearpoint Nails for Fibro Cement 9d. lb.

Spring Head Nails for Corr. Iron 8d. lb.

VENTS—

9 x 6 Melwire for Brickwork 2/6 ea.

9 x 3 Melwire for Brickwork 2/6 ea.

9 x 6 Plaster 6/ dozen

9 x 6 Terra Cotta for Brickwork 9/ dozen

Magpie Pattern for W. Board Job outside 9/6 dozen

SASH CORD—

Cotton, No. 8 2/9 per lb. Per Hank . 2/3

Linen 2/6 per lb.

Jute, No. 8 2/ per lb. Per Hank . 1/6

LOCKSETS—

Drake 8/9

Lanes, Various Designs 3/9, 4/, 4/3 ea.

CASEMENT STAYS—

A.C., Combined, 1/9. N.P., 2/3. FASTS, 9d. each.

NIGHT LATCHES, HANDLES from 3/

NIGHT LATCHES, LOCKWOOD 7/6

" " 99 Yale 11/6

" " 048 12/6

RIM LOCKS, LANES 3/6

CLIVE KING, Oakleigh & Melbourne

Builders' Hardware (Cont.)

SASH WEIGHTS	16/8 cwt. 2½d. lb.
PULLEYS	3/6 dz.; 4½d. each
WALL TIES—	

	Cwts.	14 lb. Lots
Plain	26/	3/9
Dripped	27/	3/9

BRICK BONDING OCTOPUS—

	Cwt.	Under 3 Rolls
	30/	3½d. lb.
Tar, per 4 Gall. Tin		4/9

Muriatic Acid (Spirits of Salts)—

2oz.	4oz.	10oz.	20oz. per Bottle
6d.	7½d.	1/	1/9

Bulk, 12/6 Jar. Jars, extra 7/-. returnable.

Salamoniac	1/6 lb.
Soldier	2/ lb.

Pedestal Pans (Tested)

Class 5, All White (S. or P. Trap)	37/6 ea.
Class 3, Ivory (S. or P. Trap)	32/6 ea.
Class 3, Untested	From 20/ ea.

Lavatory Seats

							Dowelled	BI-Bolted
Single Flap	10/		11/6
Double Flap	14/		15/6

Cisterns (Tested)

C.I.F.	31/6
Chief	32/6
Chief, Glass Lined	48/6
C.I.F., Glass Lined	45/

For Index See Inside Back Cover

The Viaduct Sanitary Pan Cover and Seat

(For Unsewered Areas)

No. 1—Galv. . . . 34/ No. 3—Enamelled . . 47/6
Heavy Galv. Pan, 12/6 Extra.

See Our Illustrated Sheet for Full Details.

Septic Tank Fittings

EATHERNWARE PIPES (Untested)—

4 in. Pipes	1/3	4 in. O.B's. . . .	2/3
4 in. I.Os.	2/3	4 in. Bends	1/9

AGRICULTURAL PIPES—

	2in	2½in	3in	4in	
	12/6	15/	18/6	22/6	per 100 ft.
4 in. Cast Iron Downdraft Vent	20/				each

CISTERN SETS—

Untested Pan, Cistern, S.F. Seat, Flush Pipe,

Cone, etc. £3 10 0

Board of Works Area, 5/- Extra.

Bath Screens

Nickelplated with Wired Artic Glass, own make 37/6

Nickelplated with Wired Artic Glass, Heavy Type 52//6

N.B.—Above Screens of Square Section.

Galvanised Bath Screens 35/-

Stove Enamelled Bath Screens 42/6 each.

Galv. Gas Stove Hoods

30in. Front, 30in. Back, 21in. Deep 15/

42in. Front, 42in. Back, 18in. Deep 20/

CLIVE KING, Oakleigh & Melbourne

Galv. R. E. Baths

Galvanised Rolled Edge Bath, on Legs 22/6

Stove Enamelled Baths, on Legs 34/6

2in. Outlet in Galv. Bath, 1/6 Extra.

Galvanized Iron—Corrugated

		5ft.	6ft.	7ft.	8ft.	9ft.	10ft.
26 GAUGE							
CASH	2/5½	3/	3/5½	4/	4/6½	5/2	
BOOKED	2/6	3/0½	3/6	4/0½	4/7	5/2½	
24 GAUGE							
CASH	3/5	4/1	4/9	5/6	6/4	7/	
BOOKED	3/6	4/1½	4/9½	5/7	6/5	7/1	

Galvanized Iron—Plain

		CASH			BOOKED		
		24in.	30in.	36in.	24in.	30in.	36in.
28	GAUGE ..	2/5½	3/	3/8	2/6	3/0½	3/8½
26	„ ..	2/8½	3/4	4/1	2/9	3/4½	4/1½
24	„ ..	3/8	4/6½	5/6	3/9	4/7½	5/7

Corrugated and Plain Iron Subject to Stocks.

Galv. Water Pipe

	½in.	¾in.	1in.	1¼in.	1½in.	2in.
Tested—						
	5½d	6¼d	9¼d	1/1	1/4½	1/10 per ft.
	29/10	36/7	50/2	70/5	89/5	119/2 per 100 ft
Untested—						
	26/5	32/5	44/4	62/4	79/1	105/5 ..

Prices based on list less Tested 35%, Untested 42½%.

For Index See Inside Back Cover

Malleable Iron Pipe Fittings for Water

	$\frac{1}{8}$ to $\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	1	$1\frac{1}{2}$	$1\frac{3}{4}$	2
Bends, M. & F.	10 $\frac{3}{4}$ d	1/1 $\frac{1}{4}$	1/6	2/3 $\frac{1}{2}$	3/6	5/	7/6
Bends, F. & F.	1/	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/6	3/10 $\frac{1}{2}$	5/6	8/3 $\frac{1}{2}$
Elbows, Even and Reducing . . .	8 $\frac{1}{4}$ d	9 $\frac{1}{4}$ d	1/2 $\frac{1}{2}$	1/8 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/6	5/
Elbows, M. & F., Even and Red.	9 $\frac{1}{4}$ d	10 $\frac{3}{4}$ d	1/3 $\frac{1}{2}$	1/10 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/9 $\frac{1}{2}$	5/6
Tees, Even and Red.	9 $\frac{1}{4}$ d	1/	1/4 $\frac{1}{2}$	2/	2/9 $\frac{1}{2}$	4/	5/6
Crosses, Even and Red.	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/	2/9 $\frac{1}{2}$	3/7 $\frac{1}{2}$	5/2 $\frac{1}{2}$	7/2 $\frac{1}{2}$
Nuts	3d	3 $\frac{1}{4}$ d	4 $\frac{1}{4}$ d	5 $\frac{1}{4}$ d	7 $\frac{1}{4}$ d	10 $\frac{1}{4}$ d	1/5 $\frac{1}{2}$
Plugs	3d	3 $\frac{1}{4}$ d	6d	8d	1/	1/4 $\frac{3}{4}$ d	1/10 $\frac{1}{2}$
Caps	3 $\frac{1}{4}$ d	4 $\frac{1}{4}$ d	7 $\frac{1}{4}$ d	9 $\frac{1}{4}$ d	1/2 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/3 $\frac{1}{2}$
Sockets, Straight	4 $\frac{1}{4}$ d	5 $\frac{1}{4}$ d	7 $\frac{1}{4}$ d	10 $\frac{1}{4}$ d	1/3 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/7 $\frac{1}{2}$
Sockets, Reducing	5 $\frac{1}{4}$ d	6 $\frac{1}{4}$ d	9d	1/	1/6	2/	3/
Flanges	1/2 $\frac{1}{2}$	1/4 $\frac{1}{2}$	2/	2/2 $\frac{1}{2}$	2/9 $\frac{1}{2}$	3/6	4/6
Bends, M. & M.	1/	1/4 $\frac{1}{2}$	2/2 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/3 $\frac{1}{2}$	4/9 $\frac{1}{2}$	7/
Bends, Return	1/7 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/4 $\frac{1}{2}$	4/9 $\frac{1}{2}$	6/	10/6	
Bushes	4 $\frac{3}{4}$ d	6d	8d	10 $\frac{3}{4}$ d	1/4 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/8 $\frac{1}{2}$
Hexagon Nipples	6d	7 $\frac{1}{4}$ d	9 $\frac{1}{4}$ d	1/	1/7 $\frac{1}{2}$	2/2 $\frac{1}{2}$	3/2 $\frac{1}{2}$
Hexagon Nipples, Red.	6 $\frac{1}{4}$ d	7 $\frac{3}{4}$ d	10 $\frac{3}{4}$ d	1/1 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/4 $\frac{1}{2}$	3/6
Unions	2/	2/4 $\frac{1}{2}$	3/	3/7 $\frac{1}{2}$	4/9 $\frac{1}{2}$	6/4 $\frac{1}{2}$	9/
Elbows, Side Outlet	1/4 $\frac{1}{2}$	2/2 $\frac{1}{2}$	2/10 $\frac{1}{2}$	2/10 $\frac{1}{2}$	4/4 $\frac{1}{2}$	6/	8/
Tees, Side Outlet	1/9 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/7 $\frac{1}{2}$	5/	7/	9/6	

CLIVE KING, Oakleigh & Melbourne

Wrought Iron Pipe Fittings

	$\frac{1}{2}$ & $\frac{3}{4}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	1	$1\frac{1}{2}$	$1\frac{1}{2}$	2
5 Long Screws, 3 to 11 $\frac{1}{2}$ in. . .	8d	9d	10d	1/1	1/5	1/11	2/6	3/6
23 Barrel Nipples	5d	5d	6d	7d	9d	1/	1/4	1/9
6 Bends	8d	9d	11d	1/2	1/7 $\frac{1}{2}$	2/7 $\frac{1}{2}$	3/2	5/2
9 Springs not Socketed	5d	6d	7d	9d	1/1 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/3 $\frac{1}{2}$	3/11
13 Elbows, Round	11d	1/	1/2	1/5	1/8	2/4	2/10	4/8
14 Tees	1/	1/1	1/3	1/7	1/10	2/6	3/1	5/1
15 Crosses	2/2	2/4	2/9	3/8	4/1	5/6	6/7	10/6
16 Sockets, Plain	3d	3d	4d	5d	6d	8d	10 $\frac{1}{2}$ d	1/3
18 Flanges	9d	10d	1/	1/2	1/4	1/9	2/	2/9
18A Flanges Table H.	1/6	1/8	2/	2/4	2/8	3/6	4/	5/6
19 Caps	3 $\frac{1}{2}$ d	3 $\frac{1}{2}$ d	5d	6d	8d	1/	1/3	2/
20 Plugs	3d	3d	4d	5d	6d	8d	10d	1/3
21 Backnuts	2d	2d	3d	3 $\frac{1}{2}$ d	5d	6d	8d	1/1
22 Nipples	2d	2d	3d	3 $\frac{1}{2}$ d	4d	6d	8d	1/
25 Main Cocks	1/6	1/9	2/3	2/10	4/2	5/4	7/	11/6

WRITE FOR SPECIAL DISCOUNT

Galv. Iron Spouting, Ridging, etc.

In 6 ft. Lengths.		28G.	26G.	24G.
Ridging	12 in.	2/2½	2/5	3/2
	14 in.	2/5½	2/9	3/6
	15 in.	2/7	2/11	3/8
	16 in.	2/10	3/1	4/
	18 in.	3/	3/4	4/5
	20 in.	3/6	3/10	5/
O.G. Spouting ..	3 in.	1/8½	2/0½	2/6
	3½ in.	1/9½	2/1	2/7
	4 in.	1/10½	2/2	2/9
	4½ in.	2/1	2/3	2/11
	5 in.	2/3	2/5	3/2
	6 in.	2/6	2/9	3/6
Downpipe (Grooved Seams)	1½ in.	1/9½	2/0½	2/7
	2 in.	1/9½	2/0½	2/7
	2½ in.	2/0½	2/2½	2/9
	3 in.	2/2½	2/4	3/1
	3½ in.	2/7	2/9	3/5
	4 in.	2/10	3/1	3/9
	5 in.	3/9½	4/	4/11
	6 in.	4/1½	4/4	5/9
Quadrant Spouting .	3 in.	1/11	2/1½	2/7
	4 in.	2/1	2/3	2/10
	4½ in.	2/3	2/5	3/1
	5 in.	2/5	2/7	3/4
	6 in.	2/9	2/11	3/9

DOWNPIPE, Soldered Seams, 3d. per length extra
SLIP JOINTING, 6d. per length extra.

OVOLO, MOULDED AND HALF ROUND SPOUTING

Per 6-ft. Length.	28 Gauge	26 Gauge	24 Gauge
3 in.	2/3½	2/6	3/1
4 in.	2/5	2/7	3/4
4½ in.	2/8	2/10	3/6
5 in.	2/10	3/2	3/9
6 in.	3/2	3/4	4/3

Special Bank Quadrant, 4in. x 24 G., 3/1 6ft. length

Spouting & Down Pipe (Cont.)

		28G.	26G.	24G.
Square Pipe,	3 in. x 3 in.	3/8	3/10	4/8
"	" 4 in. x 2 in.	3/8	3/10	4/8
"	" 4 in. x 3 in.	3/11	4/2	4/11
"	" 4 in. x 4 in.	4/4	4/7	5/5
"	" 6 in. x 4 in.	5/	5/3	6/5

Riveted Seams 3d. per length extra.

Heads. 28 Gauge. 26 Gauge. 24 Gauge.

Up to 3 in.	65/	67/	80/ doz.
3½ in.	75/	77/	92/ doz.
4 in.	75/	77/	92/ doz.

Strapping, 2/6 each extra.

Shoes and Elbows. 28 Gauge. 26 Gauge. 24 Gauge.

Up to 3 in.	25/	26/	33/ doz.
3½ in. and 4 in.	33/	35/	43/ doz.

Angles for Spouting. 28 Gauge. 26 Gauge. 24 Gauge.

Up to 5 in.	36/	38/	46/ doz.
6 in.	42/	44/	52/ doz.

Strapping, 1/- each extra.

O.G. Spouting Brackets	4/ per doz.
Ovolo Brackets	5/6 per doz.
Quadrant Brackets	4/6 per doz.
Hinged Brackets	6/6 per doz.
Half-Round Brackets	4/ per doz.
Half-Round Special Brackets	6/6 per doz.
All Rafter Brackets, extra	2/ per doz.
Spouting Tubes	6/ per gross
Ridge Clips, to 16 in.	5/6 per doz.
Ridge Clips, 18 in.	6/ per doz.

Special Bank Quadrant Brackets 6/6 per doz.

Curving Galvanised Corrugated Iron

22 Gauge or lighter (20 G. 1d. per sheet extra).

Verandah or Roof up to 12 in. rise edges

up or down 4½d. Sheet

For Index See Inside Back Cover

Curving Galv. Corr. Iron (Cont.)

Verandah or Roof over 12 in. rise edges up

up or down	6d.	„
O.G.	7½d.	„
Bullnose or Weatherbreak one end	7½d.	„
Bullnose or Weatherbreak, two ends . .	1/3	„
Less than ½ Circle for Tanks	8d.	„
Half Circle for Tanks	8d.	„
Full Circle for Tanks	1/2	„

Ornamental Fabric Fences & Gates

FABRIC FENCE—

Fig. 1—Style A:	36in.	42in.	46in.	52in.
3 in. Mesh. . .	9d	11d	1/	1/1 ft.
2½ in. Mesh. . .	11d	1/1	1/2	1/3 „
1¾ in. Mesh. . .	1/1	1/3	1/4	1/5 „
Fig. 3—Style C . .	1/1	1/3	1/4	1/5 „
Fig. 4—Style F . . .	1/	1/2	1/3	1/4 „

FABRIC DRIVEWAY AND HAND GATES—

		3ft.	3ft. 6in.	4ft.		
Fig. 21	21/6	23/	25/6		
Fig. 26	20/6	21/6	24/6		
		8ft.	9ft.	10ft.	11ft.	12ft.
Fig. 27	42/	43/6	45/6	48/6	51/6
Fig. 28	55/	56/6	58/6	62/	66/
Fig. 29	58/	59/6	61/6	65/	69/

All Gates are 3ft. 10in. High.

FARM GATES—

ARM GATES—		8ft.	9ft.		
Fig. 112	30/	31/		
Fig. 119—		10ft.	11ft.	12ft.	13ft.
1 $\frac{3}{8}$ in. Frame	. . .	33/6	36/	38/6	41/
1 $\frac{5}{8}$ in. Frame	. . .	43/6	46/	49/6	53/6
Fig. 130—					
1 $\frac{3}{4}$ in. Frame	. . .	50/	52/6	55/	57/6
1 $\frac{5}{8}$ in. Frame	. . .	60/	63/6	67/6	71/

CLIVE KING, Oakleigh & Melbourne

Fabric Fences & Gates (Cont.)

Fig. 126—	14ft.	15ft	16ft	17ft	18ft.
1½in. Frame . . .	45/	48/	51/	54/	57/6
1½in. Frame . . .	59/	62/	65/	68/6	72/6

RINGKNOT FENCING—12½ Gauge Galv.

Fig No.	No. of of Lines	Height	Supplied in Rolls	Price Per Chain
526HT ..	5 ..	26in. ..	5 & 10 chain	.. 4/9..
628HT ..	6 ..	28in. ..	10 chain	.. 5/6
636HT ..	6 ..	36in. ..	10 chain	.. 6/
830HT ..	8 ..	30in. ..	5 chain	.. 10/

20% extra for less than 5 chain roll. Orders for less than ½-mile at one time charged at chain rates.

Fly Wire (Galv.)—Cyclone

33 Gauge (per yard):

18in	24in	26in	28in	30in	32in	36in	42in	48in
1/1	1/5	1/6	1/8	1/9	1/10	2/1	2/5	2/9

28 Gauge (per yard):

24in	30in	36in	42in
1/11	2/5	2/11	3/4

BRONZE (Copper), Non-Corrosive—

14 Mesh.	24in	28in	30in	36in
33 Gauge	3/2	3/8	3/11	4/9

Wire — Barbed Wire

Galv. Wire	yds. to cwt.	Price Per cwt. coil
9G.	675	.. 18/9
10G.	854	.. 19/
8G.	546	Cash Price 18/1
BARB WIRE: Iowa Pattern—		Cash Prices
12G.	460 25/10
13G.	560 26/10
14G.	670 27/4

Wire Netting — Barbed Wire

Waukegan Pattern—

12½G.	62½	26/10
14G.	860	28/3

WIRE NETTING—

Cash Prices Per Roll

36 x 1½ x 17G.,	100 yd. Roll	48/9
42 x 1½ x 17G.	„ „ „	56/6
36 x 1½ x 18G.	„ „ „	31/9
42 x 1½ x 18G.	„ „ „	36/9
48 x 1½ x 18G.	„ „ „	46/4
60 x 1½ x 18G.	„ „ „	57/9
72 x 1½ x 18G.	„ „ „	67/9
24 x ½ x 22G.,	25 yd. Roll	12/11
30 x ½ x 22G.	„ „ „	15/4
36 x ½ x 22G.	„ „ „	19/
24 x 1 x 20G.,	50 yd. Roll	13/2
30 x 1 x 20G.,	„ „ „	17/1
36 x 1 x 20G.,	„ „ „	19/9
24 x 2 x 19G.,	100 yd. Roll	15/2
30 x 2 x 19G.,	„ „ „	18/5
36 x 2 x 19G.,	„ „ „	20/6
42 x 2 x 19G.,	„ „ „	24/8
48 x 2 x 19G.,	„ „ „	28/2
60 x 2 x 19G.,	„ „ „	35/
72 x 2 x 19G.,	„ „ „	42/8

Wallpapers and Freizes

We are direct importers of Wallpapers and Freizes. Our large stocks include the latest new season's artistic texture designs.

WALLPAPERS From 6d. Roll

FREIZE From 1d. Yard

Trimming 2d. Per Roll.

Write for the latest Pattern Book.

Special Discount to Trade.

Specialising in Wallpaper for the Countryman.

Paints & Varnishes

DRY COLORS, ETC.—

RED

Oxide	6d. per lb.
Venetian	6d. „ „
Ochre	4d. „ „
Indian	7½d. „ „

SIENNA

Raw	6d. „ „
Burnt	1/ „ „

UMBER

Burnt Turkey	10½d., ..
----------------------	-----------

YELLOWS

Middle	Chrome	3/	"	"
Golden	Ochre	6d.	"	"
Yellow	Ochre	4½d.	"	"
	1Lb. ½Lb. ¼Lb.		Oz.	

SHELLAC	2/3	1/3	9d.	3d. Oz.
-----------------	-----	-----	-----	---------

RED LEAD 9d. per Lb.

	$\frac{1}{4}$ Lb.	$\frac{1}{2}$ Lb.	1Lb.
Lamp Black	4 $\frac{1}{2}$ d.	8d.	1/3
Vegetable Black	7d.	1/1	2/-

BLUES

Celestial	1/3 per Lb.
Ultra Marine	3d. ,, Oz.
Prussian	6d. ,, ,,

BROWNS

Vandyke	1/	„	Lb.
Spanish	6d.	„	„
Vandyke Brown Crystals	10d.	„	„

GREENS

Pale Brunswick	9d.	„	„
Medium Brunswick	9d.	„	„
Deep Brunswick	9d.	„	„
Pale Bronze	9d.	„	„
Medium Bronze	9d.	„	„
Deep Bronze	9d.	„	„

COLORS IN OIL—ELEPHANT BRAND.

	2Lb.	1Lb.	$\frac{1}{2}$ Lb.
Red Oxide super	2/	1/1	—
Indian Red „	2/6	1/5	10 $\frac{1}{2}$ d.
Venetian Red „	2/3	1/3	9d.
Permanent Red „	6/9	3/6	2/
Signwriters Red . . Ex Super	7/9	4/	2/3

SIENNA.

Raw Ex Super	2/9	1/6	1/
Raw Super	2/	1/3	9d.
Burnt Ex Super	3/3	1/9	1/
Burnt Super	2/4	1/4	10d.

UMBER.

Raw Ex Super	2/6	1/6	10 $\frac{1}{2}$ d
Raw Super	2/3	1/3	9 $\frac{1}{2}$ d
Burnt Ex Super	2/9	1/6	11d
Burnt Super	2/3	1/3	9 $\frac{1}{2}$ d
Patent Driers . . . Super	1/9	1/	—
Drop Black Ex Super	—	2/3	1/3
Black Super	2/	1/2	8d
Purple Brown . . . Ex Super	2/	1/2	10d
Vandyke Brown . . Ex Super	3/3	1/9	1/
Prussian Blue . . . Ex Super	10/6	5/6	3/
Celestial Blue . . . Ex Super	2/6	1/6	10 $\frac{1}{2}$ d

CHROMES

Lemon Super	3/9	2/	1/3
Middle „	3/9	2/	1/3
Orange „	4/3	2/3	1/3

BRUNSWICK GREENS

Lt., Mid. & Dark Ex Super	2/9	1/6	—
---------------------------	-----	-----	---

BRONZE GREENS

Lt., Mid. & Dark Ex Super	3/	1/7	—
---------------------------	----	-----	---

OCHRES

Golden Ex Super	3/3	1/9	1/
Golden Super	2/3	1/3	9 $\frac{1}{2}$ d
Oxford Ex Super	2/9	1/6	11d
Oxford Super	2/3	1/3	9 $\frac{1}{2}$ d
Yellow „	2/	1/2	9d

CLIVE KING, Oakleigh & Melbourne

CREOSOTE .		4G.	4G.	1G.	$\frac{1}{2}$ G.	Qts.	Pts.
General Colours .. Per Gal.		9/	9/6	10/6	11/6	12/6	14/
Green		10/	10/6	11/6	12/6	13/6	15/
Clear		3/6	4/	5/	6/	7/	8/6
Crude		3/	3/6	4/6	5/6	6/6	8/ $\frac{1}{2}$ Pt.
GLASSARD OIL		12/	12/6	6/9	3/9	2/	1/3
Dreadnought Paint & Varnish Remover		12/	6/6	3/6	2/	1/3	each
GLOSS OIL—MAJORA		1G.	$\frac{1}{2}$ G.	$\frac{1}{2}$ G.	1Pt.	$\frac{1}{2}$ Pts.	
		8/6	4/9	2/9	1/6		
RICKSHA		1G.	$\frac{1}{2}$ G.	$\frac{1}{2}$ G.	$\frac{1}{2}$ G.	$\frac{1}{2}$ Pt.	
General Colours		29/	15/	7/9	4/2	2/2	
Gloss White, Body White							
Flat White, Light Mid.							
Dark, Navy, & Bronze &							
Maroon		31/	16/	8/3	4/5	2/4	
Signal Red & Crimson ..		47/	24/	12/3	6/5	3/5	
Red Roofing		26/	13/6	7/	3/11	2/2	
One-Coat White		34/	17/6	9/	4/11		

For Index See Inside Back Cover

NICKSHA—ELEPHANT UNDERCOATING

	1 Gal.	$\frac{1}{2}$ Gal.	$\frac{1}{4}$ Gal.	$\frac{1}{8}$ Gal.	$\frac{1}{2}$ Pt.
White, Ivory, Cream,					
Lt. Stone, Mid. Stone,					
French Grey	25/	13/	6/9	3/8	2/-
Ricksha Thinners	10/	5/6	3/	1/9	90z.
					1/

BERGERS B.P. PAINT

	1 Gall.	$\frac{1}{2}$ Gall.	$\frac{1}{4}$ Gall.	$\frac{1}{8}$ Gall.	1/16 Gall.
WHITE & REGULAR COLOURS	22/6	11/9	6/5	8/6	1/11 Tin

Green, Nos. 121-122, 143, 157,

167	24/6	12/9	6/11	3/9	2/1
MAIL RED, 142	31/6	16/8	8/8	4/8	2/6
					"

CHROMIUM GREEN, FADELESS	30/	15/6	8/3	4/5	2/4
					"

UNDERCOATS — White, Grey,

Cream, Stone, Light Brown,	5 Gall.	Drums all	Colors, 1/-	Gall. Less.
Green, Pink Primer	21/6	11/3	6/2	2/5
				1/10
				"

BERGERS ROOF PAINT.

Red. Bit. Red, Tile & Black	19/6	10/3	5/8	3/1
Brown & Grey	21/	11/	6/	3/3
Green	26/	13/6	7/3	3/11
White	24/	12/6	6/10	3/8

CLIVE KING, Oakleigh & Melbourne

SHERWIN WILLIAMS

Ordinary Colours	5Gl.	1Gl.	$\frac{1}{2}$ Gl.	$\frac{1}{4}$ Gl.	$\frac{1}{8}$ Gl.	1/16Gl.
Greens	21/6	22/6	11/9	6/5	3/6	1/11 Tin
Permanent Cardinal Red	23/6	24/6	12/9	6/11	3/9	2/1 "

No. 463

UNDERCOATS

20/6	31/6	16/3	8/8	4/8	2/6	"
20/6	21/6	11/3	6/2	3/5	1/10	"

SYNTHETIC TRIMMING COLOURS

Ordinary Colours	28/6	29/6	15/3	8/2	4/5	2/4	"
Horizon Blue & Waratah Red	36/6	37/6	19/3	10/2	5/5	2/10	"
MASTER PAINTERS WHITE	21/	22/	11/6	6/3	3/5		"
WARRANTED GENUINE							"

WHITE LEAD PAINT ..

24/	25/	13/	7/	3/9		"
-----	-----	-----	----	-----	--	---

MAJORA VARNISHES

Special Terebine	1Gl.	$\frac{1}{2}$ Gl.	$\frac{1}{4}$ Gl.	1Pt.	$\frac{1}{2}$ Pt.	$\frac{1}{4}$ Pt.
Special Eggshell Flat Varnish	11/9	6/5	3/9	2/1	1/4	10d "
Special Goldsize	14/9	7/11	4/6	2/6	1/6	11d "
Special Black Japan	14/3	7/8	4/4	2/5	1/5	11d "
Special Copal Varnish . . .	14/3	7/8	4/4	2/5	1/5	11d "
Special Oak Varnish	19/3	10/2	5/7	3/1	1/9	1/1 "
Special Hard Spirit Varnish	13/3	7/2	4/1	2/4	1/5	10d "
Special Hard Oak Varnish	10/3	5/8	3/4	1/11	1/2	9d "
Special Inside Oak Varnish	12/9	6/11	4/	2/3	1/4	10d "
Special Hard Drying Carriage	19/3	10/2	5/7	3/1	1/9	1/1 "

For Index See Inside Back Cover

PLYMEL HOUSE PAINT	1Gl.	$\frac{1}{2}$ Gl.	$\frac{1}{2}$ Gl.	1Pt.	$\frac{1}{2}$ Pt.	Tins
	15/3	8/2	4/8	2/7		

PLYMEL ROOF PAINT

Red & Tile Red	15/9	8/5	4/9	2/7	1/5	each
Slate & Grey	17/	9/	5/1	2/9	1/6	"

DURALENE PREPARED PAINTS

Ordinary Colors	18/3	9/8	5/4	2/11	$\frac{2}{3}$ Pt.	$\frac{3}{8}$ Pt.
Special Colors						
Vermilion, Yellow, Green, ..	19/3	10/2	5/7	3/1	2/3	1/3
Orange, Maroon						

5 Gallon Drums, 1/- gallon less than the 1 gallon price.

LACOVA SPIRIT STAIN .. 1 Pt. 1/2; $\frac{1}{2}$ Pt. 7 $\frac{1}{2}$ d.

MAJORA PURE MIXED

PAINT	1Gl.	$\frac{1}{2}$ Gl.	$\frac{1}{4}$ Gl.	1Pt.	$\frac{1}{2}$ Pts.	Tins
-------	------	-------------------	-------------------	------	--------------------	------

White & Colours	21/6	11/3	6/2	3/4	1/10	
Signal Red & Vermillion	28/6	14/9	7/11	4/2	2/3	
Permanent Green	25/6	13/3	7/2	3/10	2/1	
Undercoatings	20/6	10/9	5/11	3/2	1/9	

MAJORA MASTER PAINTERS

WHITE	23/6	12/3	6/7	3/6	1/11	
---------------	------	------	-----	-----	------	--

CLIVE KING, Oakleigh & Melbourne

1GL. $\frac{1}{2}$ GL. $\frac{1}{4}$ GL. 1Pt.

ELEPHANT PREPARED PAINTS

Colours & White	22/6	11/9	6/6	3/6	
Permanent Green	24/6	12/9	7/	3/9	$\frac{1}{2}$ Pts.
Vermillion	27/6	14/8	7/9	4/	2/2
Roof Red	21/6	11/3	6/3	3/4	
First Coat—White & Colors	21/6	11/3	6/3	3/4	

A.F. PREPARED PAINTS	18/6	9/9	5/6	—	$\frac{1}{2}$ Pts. $\frac{3}{8}$ Pts.
FOX PREPARED PAINTS	13/6	7/3	4/2	—	2/ 1,

1/10 11d.

GALVO ROOF PAINT

Tile Red, Red, Grey &					
Bangor Slate	19/	10/	5/6	3/	
White	24/6	12/9	6/11	3/9	
Green (Sun-proof) & non-poisonous	25/	13/	7/1	3/10	

C.K. DECORATORS PAINT. 15/ 8/ 4/3

Undercoating all colours same price. Supplied in 1 gallon, $\frac{1}{2}$ gallon, and $\frac{1}{4}$ gallon only, in White, Cream, Stone and Grey.

For Index See Inside Back Cover

PAUBMANS	Gls.	1/4 Gl.	Qts.	Pts.	1/2 Pts.	1/4 Pts.	3/4 Pts.
BUTEX PURE PAINT.							
White & General Colours	26/	13/6	7/4	8/11	2/1		
Bristol Greens, Orange, &							
Nigerian Blue	28/	14/6	7/11	4/4	2/3		
Undercoating	22/6	12/6	6/5	3/6	1/11		
Green Undercoat	26/	13/6	7/4	3/11	2/1		
Darbar Red	40/	20/6	10/9	5/9	3/		
BUTEX THINNERS	10/	5/6	3/3	1/9	1/		
SERVICE PAINT—Greens	23/6	12/3	6/8	3/7	2/		
Ordinary Colors	22/6	11/9	6/5	3/6	1/11		
Signal Red	26/	13/6	7/4	3/11	2/1		
Service Undercoat	20/6	10/9	5/11	3/3			
HOUSEGUARD PAINT	20/	10/6	5/10			2/1	1/
Mail Red	26/	13/6	7/4			2/1	1/
Houseguard Undercoatings ..	19/	10/	5/7			2/1	1/
G.V.P. HOUSE PAINT	16/6	8/9	4/11			2/	1/
DELTA HOUSE PAINT	14/	7/6	4/4			1/9	11d
SOLPAH ROOF PAINT							
Ferrie Dark Red & Chocolate	20/	10/6	5/10	3/2	1/9		
Greys, White, Cream &							
Terratile	24/	12/6	6/10	3/3	2/		

CLIVE KING, Oakleigh & Melbourne

	Gal.	$\frac{1}{2}$ Gal.	Qts.	Pts.	$\frac{1}{2}$ Pts.	$\frac{1}{4}$ Pts.	2 $\frac{1}{2}$ Ozs.	2 Oz.
STORERS RED OXIDE ..	12/6	6/9	3/9	2/				
DYNAMEL	30/	15/6	8/	4/5	2/5		1/5	10d. 6d.
SOLPAH PAVING PAINT								
Red & Black	17/	9/	4/11	2/6	1/6			
White, Grey & Lino								
Brown	24/6	12/9	7/	3/9	2/2			
Blue, Cream & Green ..	24/6	12/9	7/	3/9	2/2	8 Oz.	4 Oz.	
SILVERFROS	34/	17/6	9/6	5/		2/3	1/3	9d.
FLOOR VARNISH STAIN	16/6	8/9	4/8	2/6		1/4	10d.	
BRICK RED FIREPLACE PAINT	$\frac{1}{4}$ Pt.	1/		
PENETROL STAINS .. .	19/	10/	5/7	3/	1/9			
SOLPAH WEATHER-PROOF								
STAINS, Walnut & Oak	18/	9/6	5/	2/10	1/8			
Javrah & Mission Green ..	19/	10/	5/6	2/11	1/9			
VARNEEROS	20/6	10/9	5/10	3/1	1/10			
DRI-STIK								
For Drying Sticky Surfaces	16/	8/6	4/9	2/3	1/6			11d.
RIVERLAC.								
Flexible Lacquer	30/	15/6	8/	4/4	2/5		1/4	

For Index See Inside Back Cover

	Gal.	$\frac{1}{2}$ Gal.	Qts.	Pts.	$\frac{1}{2}$ Pts.	$\frac{1}{4}$ Pts.
FASCINAC.						
Brushing Lacquer	30/	15/6	8/	4/3	2/3	1/3
CYNAC.						
Brushing Lacquer	25/	13/	7/3	3/9	2/1	1/1
SHOE LACQUER—1/6 per Carton.						
FASCINAC & CYNAC.						
Lacquer Thinners	13/	7/	4/3	2/6	2/	1/ 9d.
SOVRO.						
Liquid Gold Enamel			10/10	5/9	3/1	1/10
GOLD ENAMEL.						
In Boxes.—Large 1/6; Small 10d.						
RENULO.						
Linoleum Polish	20/6	10/9	5/10	3/1		8Oz. 1/7
DULSETTA.						
Semi Flat Enamel	27/6	14/3	7/6	4/	2/2	
Pigmented Undercoating	25/6	13/3	7/2	3/10	2/1	
Wall & Wood Primer	15/	8/	4/6	2/6	1/6	
ZOTENA						
Water Paints	14lbs.	7lbs.	4lbs.	2lbs.		
Tennis Court-White	8/6	4/6	3/	1/5		
	2/9			1/5		

CLIVE KING, Oakleigh & Melbourne

DEXENE.

Gal. $\frac{1}{2}$ Gal. $\frac{1}{4}$ Gal. Pts. $\frac{1}{2}$ Pts. $\frac{1}{4}$ Pts. 2 $\frac{1}{2}$ Ozs.

White & Colours 44/ 22/6 11/9 6/3 3/4 1/10
 Clear 29/ 15/ 8/ 4/3 2/3 1/3

Knifing Fillers, 7 lbs. 9/6, 4 lbs. 5/6, 2 lbs. 3/6, 1 lb. 1/9, $\frac{1}{2}$ lb. 1/6.

BATH ENAMEL 26/ 13/6 7/4 4/2 2/4 1/5

BATH UNDERCOAT 24/ 12/6 6/9 3/10 2/3 1/4

ART METAL BLACK 22/6 11/9 6/4 3/7 2/ 1/2

Satin Black Enamel 20/ 10/6 5/6 3/ 1/9 1/1

QUICK-BLACK ENAMEL 16/ 8/6 4/6 2/6 1/6 10d.

Gloss Black Enamel 12/6 6/9 3/11 2/3 1/4 1/ 8d.

SOLPAH OIL 12/6 6/9 3/11 2/3 1/4

RUSSOLENE.

Flat Oil Finish 23/ 12/ 6/6 3/6

Primer 15/ 8/ 4/6 2/6

ENAMEL PORCELAIN—DOCKERS

1Gl. $\frac{1}{2}$ Gl. $\frac{1}{4}$ Gl. 1Pt. $\frac{1}{2}$ Pt.
 28/6 15/ 8/ 4/6 2/6 ea.

All Paints Packed and Delivered to Rail or Carrier Free.

For Index See Inside Back Cover

RAW & BOILED LINSEED OIL—Prices on Application.

WHITE LEAD—Prices on Application.

TURPENTINE—Prices on Application.

Cwt. 56lbs. 28lbs. 14lbs. 7lbs. 4lbs. 2lbs. 1lb.

WHITE-ANIA 76/ 39/ 20/ 10/3 5/9 3/5 1/9 1/

KLING PASTE .. 1 lb. Pkts. 1/-; ½ lb. Pkts. 7½d.; Loose, 9d. per lb.

INDELIBLO CALCIMO & WESCO

Indelblo—Cream, Cement, & White .. 10d. per lb.

WESCO & CALCIMO 2/9 " pkt.

WESCO STUCCO WHITE 3/ " "

TRADCO CALCOMINE—White & Cream 1/6 " "

Victor Patching Plaster 9d. " "

WESCO WALLSIZE 1/9 " "

FRESCOLINE 2/5 " "

MAIORA MILL WHITE & WATER PAINTS.

70 lb. 56 lb. 28 lb. 14 lb. 7lb. 4lb. 2lb.

Mill White 36/6 31/ 16/9 9/ 4/9 2/9 1/9 each

Water Paints 36/6 31/ 16/9 9/ 4/9 2/9 " "

Staywhite, Taubmans .. 25/6 15/6 8/ 4/3 2/9 1/6 " "

PETTERFYNG LIQUID. For adding to Mill White and Water Paints

1 Gall. ½ Gall. ¼ Gall. 1 Pt. ½ Pt. Tins.

8/9 4/9 3/ 1/9 11d. each.

Approximate Weights of Timber, Iron, etc.

TABLE OF RUNNING
FEET PER TON

3½ x ¾	K.D. Hardwood Flooring	2750 feet
4½ x ¾	" " "	2100 "
5½ x ¾	" " "	1700 "
3½ x ½	K.D. Hardwood Lining	4400 "
4½ x ½	" " "	3400 "
5½ x ½	" " "	2750 "
R.E.	Hardwood K.D. Weatherboards	2000 "
3½ x ¾	Jarrah Flooring	1900 "
3½ x 1½	" " "	1450 "
Size		Red. White.
0 x 1½	T. & G. Baltic ..about	1,500 ft. about 1,650 ft.
6 x ¾	" " "	1,850 ft. " 2,100 ft.
6 x ¾	" " "	2,300 ft. " 2,500 ft.
6 x ¾	T.G.B. "	2,600 ft. " 2,800 ft.
6 x ¾	" " "	3,500 ft. " 3,700 ft.
6 x ¾	Reb. & Bd. "	3,900 ft. " 4,600 ft.
Weatherboards "	3,300 ft. " 3,500 ft.

TABLE OF SUPER. FEET PER TON, Approximate

Oregon about 100	super feet to a ton
Red Deal " 750	" "
Shelving " 1200	" "
Yellow Pine " 800	" "
Kauri " 650	" "
Hardwood (Green) " 360	" "
" (Dry) " 480	" "
Jarrah (Green) " 360	" "
" (Dry) " 480	" "
6 ft. Victorian Palings 400	pieces
5 ft. " 500	" "
Spruce Deals as 9" x 3 400	running ft.
Clear Pine 600	super.
Cedar 900	" "

1000 Terra Cotta Tiles 3½ ton
1000 Bricks 4 "
3/13 Fibro Cement 130 sq. yds. to ton
5/32 " 160 " " "
5/16 Fibro Plaster	.. Crated 120 yds., Uncrated 160 yds.
7/16 Fibro Plaster	.. Crated 96 yds., Uncrated 120 yds.

Approximate Number of Sheets to a Case of Galv.
Corr. Iron, weighing about 10 cwts.

26G	5ft.	6ft.	7ft.	8ft.	9ft.	10ft.
	118	111	95	83	74	66
1 Sheet of Iron Covers—						
1½ Side Lap 1ft. 10½in.					
2 Side Lap 1ft. 9in.					

SPECIAL NOTICE



Since the Stainless Steel
Sink prices on page 29
have been printed there
has been a reduction of
12/6 in Sizes 3 ft., 3 ft. 6
in., 4 ft., 4 ft. 6 in. long by
16 in. and 18 in. widths.



INDEX

	Page		Page
Basins	25, 26	Linings	1, 2
Baths	24, 47	Mantelpieces	43
Bonding for Brickwork	45	Mouldings 10, 11, 12, 13	
Cement	42	Muriatic Acid	45
Chimneys	32, 41	Nails	44
Cisterns	45	Oregon	2, 3
Columns, Concrete .. .	40	Paints	55 to 66
Coppers—Fuel & Gas	39	Palings	4
Cord Sash	44	Pans—Pedestal	45
Curving (Iron)	51, 52	Pipes	47
Doors	14, 15, 16	Pipe Fittings	48, 49
Door Jambs	14	Plywoods	7, 8, 9
Doors, Grates	40	Redgum	4, 5
Dressing Charges	13	Redwood	6
Durable	22	Salamoniac	45
Fencing	52, 53	Sanitary Pan Cover .. .	46
Fibro Cement	20, 21	Sashes — Casement	
Fibro Plaster	23	& Box	18
Fireplaces	32	Sawing Charges	13
Flooring	1	Screens — Bath	46
Flywire	53	Seats — Lavatory	45
Frames—Box and		Septic Tank Fittings .. .	46
Casement	17	Sinks — Porcelain	
Frames—Copper	39	Enamel	27, 28
Frames—Door	14	Sinks — Stainless	
Gates	52, 53	Steel	29
Grates	42	Spouting, Downpipe,	
Gulley Rings	40	etc.	50, 51
Hardwood Scantlings	3, 4	Solder	45
Hardwood — Kiln		Stoves — Fuel	
Dried	9, 10	& Gas 32, 33, 36, 37, 38	
Hardware — Builders		Tanks	19
	43, 44, 45	Tar	45
Heaters—Bath	30, 31	Tiles & Wall Fittings	29
Hoods—Stove	46	Tilux	21, 22
Hoop Pine	7	Troughs — Wash	41
Homes	32, 33	Vents, all types	44
Information	67	Wall Ties	45
Iron—Corr. & Plain .. .	47	Wallboards	22
Jarrah	4, 5	Wallpapers	54
Joinery 14, 15, 16, 17, 18		Weatherboards	1, 2
Laths—Trellis	9	Weights	67, 68
Lime, etc.	42	Wire Fencing—Barb	53, 54
		Wire netting	54

Builders

This Price List is a guide to prices in the trade generally. We suggest you send us your list for a detailed quotation.

Remember:

We Deliver Anywhere

Digitized by:



ASSOCIATION
FOR
PRESERVATION
TECHNOLOGY,
INTERNATIONAL
www.apti.org
Australasia Chapter

**BUILDING
TECHNOLOGY
HERITAGE
LIBRARY**

<https://archive.org/details/buildingtechnologyheritagelibrary>

from the collection of:

Miles Lewis, Melbourne

funding provided by:

the Vera Moore Foundation, Australia

